

T2.

SAWS and TOOLS

Spear & Jackson Ltd.
*Steel Makers for
Over 100 Years.* AETNA WORKS SHEFFIELD

SPEAR & JACKSON LTD., SHEFFIELD.

DISCOUNT SHEET, T2/2.

NOVEMBER, 1923.

TERMS.

2½% Cash discount off accounts paid direct to works on or before the 10th of month following date of invoice, afterwards strictly net.

Oddment orders under £1 value are strictly net.

Orders of £7 value and above DELIVERED FREE within the following areas:—

From Sheffield Northwards to and including line from Glasgow and Edinburgh, and

All South of Sheffield except towns West of a line drawn from Bristol to Southampton.

Orders of £10 value and above DELIVERED FREE to towns West of a line from Bristol to Southampton, and North of Glasgow-Edinburgh to Inverness.

Orders of £15 value and above DELIVERED FREE North of Inverness.

Irish Traffic:—£7 orders delivered English port.

£10 " " Irish "

£15 " " other parts of Ireland.

Alterations from previous Discount Sheet printed in RED.

PAGE	DESCRIPTION	FIG.	PAGE	DESCRIPTION	FIG.
6	No. 171A Handsaws	less 40%	16	G103, 106, 107, Handles	less 50%
	Nos. 88A, 82 "	" 42½%		Nos. 208, "	" 35%
7	All Items	" 45%		No. 153; Handles	" 55%
8	Nos. 179, 62 & 64 Handsaws	" 45%	17	Pit Saws	" 50%
	Nos. 186 & 66, "	" 52½%		G38, Pit Saw Boxes	" 60%
9	Nos. 91, 188, Handsaws	" 50%		G39, 41, " " and Tillers	" 35%
	No. 92, "	" 52½%	18	Billet Webs	" 35%
	No. 93, "	" 45%		Narrow Bandsaws	" 15%
10	No. 55, Back Saws	" 50%		Saw Sets	" 50%
	No. 154, "	" 60%	19	Circular Saws, 24" & under	" 30%
	Remainder of page	" 45%		" " 26"-46"	" 32½%
11	No. 73, Pruning Saws	" 57½%		" " 48" and over	" 37½%
	" 44, " "	" 52½%	20	Circular Saws	" 30%
	Nos. 13, 27, E221, Pruning Saws	" 55%	21	" " Inserted Tooth	" 52½%&10%
	No. 28, " "	" 47½%		Spare Teeth and Holders for do.	" 10%
	Remainder of page	" 50%		Wrenches for Circular Saws	" 20%
12	Hack Saw Frames	" 35%	23	D1036, 1039, 1040, 1032, 1066... ..	" 50%
	" Blades—Carbon Hand	" 50%		D1038, Choppers	" 37½%
	" " " ½" wide × 23G	" 40%		D1140, "	" 40%
	" " " other sizes	" 40%	24	Chisels and Gouges	plus 20%
	" " " Tungsten and	" 35%	25	Turning Tools	" 45%
	" " " Double edge	" 35%		Long Thin Paring Tools	" 30%
13	No. 245, 246, Turning Frames	" 45%		Handles	less 45%
	Nos. 112, 102, 103, 161, 108	" 60%	26	Plane Irons	plus 20%
	Remainder of page	" 50%		Drawing Knives... ..	less 45%
14	No. 33, Bow Saws	" 52½%	27	D120, 121, 122, 124, 140, Axes... ..	" 40%
	No. 34, 35, "	" 50%		D128, 132, 134, 1000, Axes	" 42½%
	No. 36, 37, "	" 45%		D1002 Axes	" 33½%
	No. 84, Butchers' Blades	" 47½%		D1001 Axes	" 57½%
15	G48, Cross Cut Saws,	" 25% & 10%		D1009 Axes	" 47½%
	G52, " "	" 20% & 10%	28	D108, 108A, Hatchets	" 42½%
	G26, G28, " "	" 10% & 10%		D116, Hatchets	" 52½%
	G13, " "	" 40%		D117A, 117B, Stick Choppers	" 47½%
16	G23, G25, " "	" 47½%	29	D1178, 1179, Picks	" 20%
	No. 200 " "	" 45%		D1180, Picks "	" 40%
	No. 202, " "	" 52½%		Pick Handles	" 55%

PAGE	DESCRIPTION.	FIG.	PAGE	DESCRIPTION.	FIG.
30	D1171 & 1172, Picks	less 40%	54	C132, Spades	less 47½%
	D1183, 1181, Handles	" 55%		C137, 138, 139, Spades	" 47½%
	D1176, Picks, "Long-Life"	" 55%		Remainder of page	" 47½%
	Ordinary quality	" 60%	55	C152, Spades	" 40%
	D1191, Garden Picks, unhandled	" 40%		Remainder of page	" 47½%
	Handles for "	" 55%	56	All Items	" 47½%
31	D1223, 1224, Mattocks... ..	" 45%	57	C227, 231, Spades	" 50%
	D155, Adzes	" 45%		Remainder of page	" 47½%
	D1226, 160, Handles	" 55%	58	C194, C195, Spades	" 50%
	D152, 154, Adzes	" 47½%		Remainder of page	" 47½%
	D162, Coopers' Adzes	" 50%	60	Digging Forks	" 45%
32	D1155, 1156, Mill Chisels	" 40%	61	C309, 391, Forks	" 42½%
	D1007, Wedges	" 10%		Remainder of page	" 45%
	Remainder of page	" 50%	62	Forks	" 45%
33	D852, Chisels, A.H.C.	" 25%	63	C327, Potato Grates	" 50%
	D931, Plugging Chisels... ..	" 40%	64-65	Manure Forks	" 50%
	Remainder of page	" 50%	66	C362, Drags	" 37½%
34	D73, 73A, 640, Hammers	" 47½%		Remainder of page (C400, 55%)	" 50%
	D83, Hammers	" 52½%	67	Garden Tool Sets	" 33½%
	Remainder of page	" 50%	68-70	Hay Forks	" 47½%
35	D84, 85, Hammers	" 55%	71	Stable Forks	" 45%
	D90, Coal Picks... ..	" 40%		Pruning Shears	" 42½%
	Remainder of page	" 50%	72	DC662, 677, 668, Rakes	" 52½%
36	Braces	" 50%		DC658, Rakes	" 55%
37-38	Brace Bits	plus 5%		DC666, "	" 57½%
39	D332, Auger Bits	less 25%		Garden and Border Shears	NET.
	D334, "	" 22½%	73	DC598, 590, 591, Shears	"
	D335, "	" 10%		DC574, 575, 576, Grass Shears... ..	less 47½%
	D336, "	" 5%	74	DC678, 716, Garden Tools	" 60%
	Augers	" 20%		DC685, 686, 720, Garden Tools	" 55%
	D331, Auger Handles	" 40%		DC687, 705, 706, 751, "	" 50%
40	D352, Turnscrews	" 45%		DC750, 703, 704, "	" 52½%
	Remainder of page	" 50%	75	DC757, 758, 763, 778, 787, 781,	
41	Spokeshaves	plus 20%		Hoes	" 50%
	Spirit Levels	less 40%		DC760, 829, Hoes	" 47½%
42	D384, 396, 401, Gauges... ..	" 47½%		DC761, 791, "	" 40%
	D386, 399 "	" 50%		DC782, "	" 57½%
	D394, 400 "	" 42½%		DC783, "	" 52½%
43	Squares and Bevels	plus 20%		DC789, Hoe Frames	Net.
	E450, Scrapers	less 40%	76	DC827, Hoes	less 50%
	E460, "	" 57½%		DC826, 820, 821, 770, Hoes	" 52½%
	D376, 379, Mallets	" 40%		DC920, 921, Hoes	" 60%
44	D925, 926, Shave Hooks	" 45%		DC785, Hoes	" 47½%
	D516, Pencils	" 50%		DC786, "	" 40%
	Remainder of page	" 40%	77	Spuds	" 50%
45-47	Tool Sets	" 33½%		DC739, 740, Edging Knives	" 40%
48	D531, Bar Cramps	" 60%		C216, 217, Turf Irons	" 40%
	Remainder of page	" 50%		DC738, Edging Knives... ..	" 52½%
49	D982, 983, Tinmen's Snips	" 55%		DC738r, "	" 50%
	D1108, D1109, Trowels	" 45%		DC747, 748, Dibblers	" 45%
	D1118, D1119 "	" 40%		DC745, Garden Reels	" 55%
	D1121, D1122 "	" 50%		DC707, Daisy Grubbers	" 47½%
51	C18, Moulders' Shovels... ..	" 50%		DC708, "	" 60%
	Remainder of page	" 45%		DC121, Garden Lines	" 70%
52	C11, 12, Shovels... ..	" 45%	78	Handles for Shovels, &c.	" 45%
	C39, 111, 112, Shovels	" 47½%	79	Bill Hooks	" 40%
	C46, Shovels	" 50%	80	Slashers	" 37½%

ESTABLISHED 1774.

Telephones :—

CENTRAL, 4522.

" 4523.

" 4524.

Telegrams :—

Spear, Sheffield.

Codes :—

A1, A B C (4th & 5th Edn.)


Liebers (including 5 letters).

Bentley's


Western Union

Engineering

S. & J's Private



WORKS WEST OF SAVILE STREET EAST.



WORKS EAST OF SAVILE STREET EAST

London Office :—

22 MANSION HOUSE CHAMBERS,
11 QUEEN VICTORIA STREET,
E.C.4.

Spear & Jackson Ltd.

Steel Makers for
Over 100 Years.

AETNA WORKS SHEFFIELD

REGISTERED TRADE MARKS.



MERMAID



"LEAP-FROG"

SPEAR & JACKSON



SHEFFIELD

LLOYD DAVIES



SHEFFIELD

JOHN COCKERILL




ETNA.
SHEFFIELD

INDEX.

	PAGE		PAGE
Adzes	31	Edging Knives	77
Asparagus Forks	61	Engineers' Hammers	34
Augers	39	Ferrules for Hay Forks	70
Auger Bits	39	Filling Drags	66
Axes	27-28	Firing Shovels	51-52
Back Saws	10	Firmer Chisels	24
Bacon Slicing Knives	22	„ Gouges	24
Ballast Shovels	51-52	Forks, Border	60
Band Saws	18	„ Coke	63
Beaters	30	„ Digging	60
Bevels	43	„ Hay	68-71
Bill Hooks	79	„ Loading	62
Billet Webs	18	„ Manure	64-66
Blades for Fret Saws	13	„ Potato	61-62
Border Forks	60	„ Stable	71
„ Shears	72	„ Stone	63
Bow Saw Blades in Coils	22	„ Weed	74
Box Opening Turnscrews	40	Frames for Hack Saws	12
Boxes, Pit Saw	17	Fret Saw Blades	13
Brace Bits	37-38	„ „ Pads	13
Braces	36	Garden Lines	77
Bradawls	44	„ Picks	30
Branch Shears	73	„ Rakes	72
Bricklayers' Trowels	49	„ Reels	77
Brick Chisels	33	„ Shears	72
Buck Saws	13	„ Spades	54
Butchers' Bow Saws	14	„ Tool Sets	67
„ Cleavers	23	Gauges	42
Cabinet Turnscrews	40	Gimlets	44
Carpenters' Adzes	31	Gimlet Bits	37
„ Augers	39	Gloucester Pattern Spades	55
„ Pencils	44	Gouges	24-25
Case Openers	44	Granite Picks	32
Centre Bits	37	Grass Shears	73
Chair Webs	13	Grates—Potato	63
Cheshire Pattern Spades	56	Grubbers, Daisy	77
Children's Spades	57	Hack Saw Blades	12
Chisels (Firmer)	24	„ „ Frames	12
„ Mill	32	Hammer Heads	32-34
„ Plugging	33	Hammers, Handled	34-35
„ Plumbers'	33	Handles for Chisels and Gouges	25
Choppers, Butchers'	23	„ „ Cross Cut Saws	16
„ Stick	28	„ „ Forks	78
Circular Saws	19-21	„ „ Picks	29-30
Claw Hammers	34-35	„ „ Rakes	78
Clay Spades	58	„ „ Shovels	78
Cleavers, Butchers'	23	„ „ Spades	78
Club Hammers	32	Hand Saws	5-9
Coal Picks	35	„ Saw Teeth	5
Coke Forks	63	Hatchets	28
Cold Chisels	33	Hay Forks	68-71
Colliers' Quartz Drilling Hammers	32	Hay Fork Ferrules	70
Colliers' Wedges	32	Hoes	75-76
Compass Saws	11	Hoe Blades	75
Coopers' Adzes	31	„ Frames	75
Countersink Bits	38	Household Bow Saws	14
Cramps	48	„ Choppers	23
Cross Cut Saws	15-16	Inserted Tooth Circular Saws	21
„ „ Saw Handles	16	Interchangeable Saws	11
Cutting Gauges	42	Irish Pattern Shovels	52
Daisy Grubbers	77	„ „ Spades	57
Dibblers	77	Joiners' Cramps	48
Digging Forks	60	„ Scrapers	43
Draining Tools	58	Keyhole Saws	11
Drawing Knives	26	Kitchen Bow Saws	14
Dressing Hammers	32	Knives, Edging	77
Drill Bits	38	Ladies' Shears	72
Drilling Hammers	32	„ Spades	57
Dutch Hoes	75-76	Lancashire Pattern Spades	56

INDEX—continued.

	PAGE		PAGE
Lawn Shears	73	Saws, Cross Cut	15-16
Levels, Spirit	41	" Hand	5-9
Loading Forks	62	" Interchangeable	11
Lock Saws	11	" Keyhole	11
Loco Firing Shovels	52	" Lock	11
London Brick Trowels	49	" Narrow Band	18
London Pattern Turnscrows	40	" Pit	17
Lopping Shears	73	" Plumbers'	11
Mallets	43	" Pruning	11
Manure Drags	66	" Table	11
" Forks	64-66	Scotch Augers	39
Marking Gauges	42	" Pattern Spades	55
Masons' Trowels	49	Scrapers	43
Mattocks	31	Shave Hooks	44
Mill Chisels	32	Shears	71-73
Mill Webs	17	Shell Bits	37
Miners' Hand Saws	9	" Gimlet Bits	37
" Picks	29	" Gimlets	44
Mortice Gauges	42	Shovels	50-52
Motor Turnscrows	40	Slashers	80
Moulders' Shovels	51	Sledge Hammers	34
Navy Picks and Beaters	30	Sliding Bevels	43
Norfolk Pattern Spades	56	Snail Horn Bits	38
North Wales Pattern Spades	57	Snips, Tinmen's	49
Nose Bits	37	Spades	53-58
Nurseryman's Spade	54	Spalling Hammers	32
Oilstones	44	Spirit Levels	41
One Man Cross Cut Saws	16	Spokeshaves	41
Pads for Fret Saws	13	Spokeshave Irons	41
Parallel Vices	48	Spoon Bits	37
Paring Tools	25	Spuds	77
Pencils, Carpenters'	44	Squares	43
Picks	29-30	Stable Forks	71
Pin Hammers	35	Stick Choppers	28
Pit Hand Saws	9	Stone Breakers' Hammers	32
" Saws	17	Stone Forks	63
" Saw Boxes	17	Strawberry Drags	66
" Tillers	17	Supplementary Handles for One Man Cross	
Plane Irons	26	Cut Saws	16
Plasterers' Trowels	49	Swiss Pattern Bits	37
Plugging Chisels	33	Table Saws	11
Plumbers' Chisels	33	Tack Hammers	35
" Saws	11	Tangs for Cross Cut Saws	16
" Shave Hooks	44	Teeth for Hand Saws	5
Pointing Trowels	49	Tenon Saws	10
Potato Drags	66	Tillers for Pit Saws	17
" Forks	61-62	Tinmen's Snips	49
" Grates	63	Tool Making	4
Push Hoes	76	Tool Sets	45-47 & 67
Pruning Saws	11	Triangular Hoes	75
" Shears	71	Trowels, Garden	74
Quartz Drilling Hammers	32	" Plasterers' and Bricklayers'	49
Railway Pattern Spades	54	Turf Irons	77
Rakes	72	Turning Frames	13
Ratchet Braces	36	" Tools	25
Reversible Handles for Cross Cut Saws	16	" Webs	13
Rimers	37	Turnip Loading Forks	62
Road Picks and Beaters	30	Turnscrew Bits	37
Rose Head Bits	38	Turnscrews	40
Root Loading Forks	62	Twist Gimlets	44
Sash Cramps	48	Twist Nose Bits	37
Sausage Knives	22	Vices	48
Saw Sets	18	Walling Hammers	32
" Teeth	5	Washita Oil Stones	44
Saws, Back	10	Webs, Billet	18
" Bow	14	" Mill	17
" Buck	13	Wedges	32
" Circular	19-21	Weed Forks	74
" Compass	11	Yorkshire Pattern Spades	56




A CORNER OF OUR LABORATORY.

RESEARCH AND TOOL MAKING.

SPEAR & JACKSON claim to be the only firm specializing in saws and tools in the United Kingdom who have an up-to-date Research Department, and devote large sums yearly to experiments and tests.

This Department includes chemical, microscopic, and testing laboratories, and is equipped with every modern appliance required for this work.



Many thousand chemical analyses, and also thousands of tests for hardness, temper, and physical properties, are made every year. *That is why Spear & Jackson's saws and tools are better than other brands.*



MICROGRAPHICAL APPARATUS.

HAND SAWS.




WARRANTY.



Every Spear & Jackson Saw carries our well-known "Money-Back" Guarantee.


SIZES OF SAW TEETH.

The size of teeth is expressed by the number of "points" to the inch. Note that both extreme points are included, or in other words, "7 points to the inch" equals "6 teeth to the inch."



☐ Coarse Tooth Saws for Farmers and ordinary rough work should not be ordered as Rip Saws, but as Coarse Tooth Hand Saws.

HAND SAWS.



No. 171A

Vanadium Alloy Steel, S. & J.'s "Mermaid" Brand, Improved Temper, Mirror Polish,
Carved Hardwood Handles, polished all over, raised brass screws.

Standard sizes of Teeth 26 inches
5½, 6, 6½, 7 points to inch.

No. 171A Skew Back ... 248/- doz.

The above Saws are the best that can possibly be made, regardless of price. The blade is made from a secret alloy of Vanadium Steel, of great toughness, and will work longer than any other saw without sharpening, being at the same time more difficult to buckle in use. They will usually cut through nails or other hard materials in wood without damage, but are not guaranteed in this respect.



No. 88A



No. 82

Silver Steel, Warranted, London Spring. S. & J.'s "Mermaid" Brand, Improved Temper,
Mirror Polish. Raised brass screws. Selected **English** Beech Handles, polished all over.

	20	22	24	26	28 inches.
Standard sizes of Teeth	10-12	10-12	6, 7, 8	5, 5½, 6, 6½, 7, 8	3½, 4 points to inch.
No. 88A Skew Back ...	160/-	172/-	202/-	206/-	227/- per doz.
„ 82 Straight Back ...	156/-	168/-	198/-	202/-	218/- „


These Saws are "High-grade" throughout, and specially suitable for Cabinet Makers, Carpenters, &c., where fine and accurate work is essential.

HAND SAWS—*continued.*

No. 25A

Best Warranted Cast Steel. S. & J.'s "Leapfrog" Brand, **English** Beech Handle, polished on edges, four raised brass screws, as in pattern No. 24.

	20	22	24	26	28 (Rip) inch.
Standard sizes of Teeth	10-12	10-12	6, 7, 8	5, 5½, 6, 6½, 7, 8	3½, 4 points to inch.
No. 25A Skew Back ...	144/-	158/-	178/-	183/-	200/- doz.



Best Warranted Cast Steel. S. & J.'s "Leapfrog" Brand, improved temper, highly polished. four Raised Brass Screws. Selected **English** Beech Handles.


	20	22	24	26	26 (½ Rip)	28 (Rip) inches.
Standard sizes of Teeth	10, 12	8, 10, 12	5, 5½, 6, 7, 8	4½, 5, 5½, 6, 6½, 7	4, 4½	3½, 4 points to inch.
No. 24 Straight Back	139/-	154/-	173/-	178/-	178/-	192/- dozen.

No. 77. Fleam Tooth  handles polished on edges

24" × 5½ pts.	26" × 5½ pts.
192/-	198/- doz.

These Saws are "High-grade" throughout, and specially suitable for Cabinet Makers, Carpenters, &c., where fine and accurate work is essential.

HAND SAWS—continued.



The "**Sovereign**" Hand Saw (John Cockerill). Warranted Cast Steel, **English** Beech Handle, polished on edges, S. & J.'s improved N.P. raised screws. For Amateur Carpenters, etc.

Standard sizes of Teeth						22	24	26
						8, 10	6, 7	5, 6, 7
								inch.
No. 179	Skew Back	...	...	...	...	102/-	120/-	130/-
						doz.		



The "**Lloyd Davies**" Hand Saw. Warranted Cast Steel, English Beech Handles, polished on edges, S. & J.'s improved N.P. raised screws. The leading Saw for Farmers, Gardeners, &c.

Standard sizes of Teeth						20	22	24	26	28 (Rip)
						6, 7, 8	6, 7, 8	5, 6, 6½, 7	4½, 5, 5½, 6, 6½, 7	4, 4½
										points to inch.
No. 62	...	...	...	...	...	90/-	98/-	116/-	126/-	140/-
						per dozen.				



The "**Lloyd Davies**" SPECIAL FARMER'S Hand Saw. English Beech Handles, polished on edges, S. & J.'s improved N.P. raised screws. With special tooth for green and wet wood.

						24	26
						inches.	
No. 64	"Lloyd Davies" quality	...	...	...	...	125/-	128/-
No. 186	"Ætna" quality	...	...	...	...	87/-	90/-
						dozen.	



The "**Ætna**" Hand Saw ("John Cockerill"). Cast Steel, English Beech Handles, polished on edges. A reliable article for household and amateurs' use.

Standard sizes of Teeth						18	20	22	24	26
						7-8	7-8	6-7	5, 6, 7	4½, 5, 6, 7
										points to inch.
No. 66	...	...	...	...	...	59/-	64/-	71/-	79/-	83/-
						dozen.				

† Saws are sent assorted points, unless definitely specified.

MINERS' SAWS.



The "Lloyd Davies" Pit Hand Saw. Warranted Cast Steel, stout blade, English Beech Handles, S. & J.'s improved N.P. raised screws.

Standard sizes of Teeth			24 inches 4, 4½	26 inches 4, 4½ points to inch.
No. 91.	Handles polished on edges		110/-	119/- dozen.



The "Ætna" Pit Hand Saw ("John Cockerill"). Cast Steel, stout blade, English Beech Handles.

			24	26 inches.
No. 92.	Handles polished on edges, 4 & 4½ points		81/-	85/- dozen.



Welsh Miners' Hand Saws. Best Warranted Cast Steel, English Beech Handles, S. & J.'s raised Brass screws.


No. 188.	Handles polished on edges, 24 inches × 4 & 4½ points		173/- dozen.
----------	--	--------	--------------



"Y Glowr" Narrow Welsh Pit Hand Saw, "Lloyd Davies" Brand. Warranted Cast Steel, stout blade, English Beech Handles. S. & J.'s improved N.P. raised screws.

No. 93.	Handles polished on edges, 24 inches × 4 & 4½ points		72/- dozen.
---------	--	--------	-------------

BACK OR TENON SAWS.



Open handle for 8" and 10" Saws.




Extra Cast Steel, London Spring, S. & J.'s "Mermaid" Brand, Best English Beech Handle, Polished Flats, S. & J.'s Improved Handling, Raised Brass Screws, Special Finish.

The finest cutting and highest quality back saw on the market. 10" open handle, 12" & 14" closed handles.


			10	12	14 inches
No. 260.	Bright steel backs, handles polished on edges	...	168/-	180/-	192/- dozen
No. 266.	Brass backs, " " "	...	202/-	230/-	260/- "

Warranted Cast Steel, S. & J.'s "Leapfrog" Brand, English Beech Handle, S. & J.'s Improved Raised Brass Screws.



This saw corresponds in quality with our No. 24 hand saw, and is the leading "all round" carpenter's back saw. 8", 10" open handle, 12", 14" and 16" closed handles.

			8	10	12	14	16 inches
No. 46.	Bright steel backs, handles polished on edges	...	134/-	134/-	144/-	154/-	173/- dozen
No. 52.	Brass backs, " " "	...	173/-	173/-	192/-	216/-	250/- "




Warranted Cast Steel.

"Lloyd Davies" Brand. English Beech Handle, with S. & J.'s Improved Raised N.P. Screws. A good medium quality for Technical Schools, amateurs, &c.

8", 10" open handles. 12", 14" & 16" closed handles.

			8	10	12	14	16	18	20	22 inches
No. 47.	"Lloyd Davies" Bright Steel Back Saws	...	89/-	89/-	101/-	116/-	129/-	—	—	— dozen
No. 47B	"Smithfield" pattern for Butchers' use	...	—	—	101/-	116/-	129/-	142/-	154/-	166/- "



The "John Cockerill" Back Saw. Cast Steel, English Beech Handle, Brass Screws.

A good value cheap saw, suitable for household use, fretworkers, &c. ;
8" and 10" saws have open handles, other sizes closed handles.

			8	10	12	14	16 inches
No. 55.	Bright steel backs, handles polished on edges	...	57/-	62/-	69/-	81/-	92/- dozen




No. 154

No. 154. Gent's Brass Back Saws, Beech Handles.

Length of Blade	4	5	6	7 inches
	23/-	25/-	27/-	30/- dozen

PRUNING AND COMPASS SAWS.



Lightning Pattern Pruning Saw. Double edge, set and sharpened, English Beech handles, polished on edges, S. & J.'s improved raised N.P. screws.

		14	16	18	20 inches.
No. 73.	S. & J.'s "Mermaid" Brand	85/-	91/-	98/-	106/- dozen.
" 13.	"John Cockerill" Brand	70/-	73/-	77/-	81/- "



Table or Pruning Saw. Set and sharpened, English Beech handle, S. & J.'s improved raised N.P. screws.

		14	16	18	20 inches.
No. 27.	S. & J.'s "Mermaid" Brand	81/-	86/-	90/-	95/- dozen.
" 44.	"John Cockerill" Brand	64/-	67/-	70/-	72/- "

**Compass or Lock Saws.**

Set and sharpened, English Beech Handles.


S. & J.'s improved raised N.P. screws.

		12	14	16 inches.
No. 28.	S. & J.'s "Mermaid" Brand	50/-	53/-	58/- dozen.
" 29.	"John Cockerill" Brand	41/-	43/-	— "

Grecian Pruning Saw.

Pistol Grip. 4 Brass Rivets.


	12	14	16 inches.
No. E221	55/-	56/-	57/- dozen.

**No. 272. New Plumbers' Blade.**


Special Alloy Steel, ground thin to back to run without set, sharpened for cutting wood, nails, iron and steel tubes, lead pipes, and similar work.



No. 272



Ordinary Handle.



Patent Lever Handle.



No. 273



No. 274



No. 275

Sets with "Perfect" Lever Handle.

No. 276	Complete with 4 blades...	150/- doz.
" 277	Without Plumbers' blade	102/- "

Sets with Old Pattern Handle.

No. 280	Complete with 4 blades...	142/- doz.
" 269	Without Plumbers' blade.	94/- "
" E288	"John Cockerill" quality, 3 blades ...	60/- "


Both types of handles are of best English beech

All fittings, screws, &c., nickel-plated.

Parts only.

		Dozen
No. 271	"Perfect" handles and fittings...	30/-
" 278	Ordinary handles and screws ...	22/6
" 272	Plumbers' blade, 18" long ...	47/6
" 273	Table or pruning blade, 18" long ...	38/6
" 274	Compass blade, 14" long ...	21/6
" 275	Keyhole blades, 10" long ...	16/-

HACK SAW FRAMES.



"Mermaid" Patent Extending Frame.

To hold blades 8 to 12 inches long, either horizontally or vertically.

No. 126. Nickel Plated, extra finish, 69/- dozen, without blades.



Best Malleable Frame.

For blades 8 9 10 12 inches.

No. 32. Nickel Plated, 64/- 65/- 66/6 69/6 dozen, without blades.



Special Cheap Frame.

For blades 8 9 inches.

No. 174. Black Japanned, 27/- 29/6 dozen, without blades.

HACK SAW BLADES.



No. 30

Price List of Hand Blades.


Length Inches	Width Inches	Thickness	TEETH PER INCH						List Prices per Gross	Net Weight per Gross lbs.
			Mild Steel C't Iron	General use	Tool Steel	Brass	Tubing	Thin Tubing & Sheets		
6	$\frac{7}{16}$	.025 or 23 gauge	14	16	18	22	28	32	£ 1 9 6	3
8	$\frac{1}{2}$	" "	14	16	18	22	28	32	1 13 6	4 $\frac{1}{4}$
9	$\frac{1}{2}$	" "	14	16	18	22	28	32	1 17 6	4 $\frac{3}{4}$
10	$\frac{1}{2}$	" "	14	16	18	22	28	32	2 2 0	5 $\frac{1}{2}$
11	$\frac{1}{2}$	" "	14	16	18	22	28	32	2 6 0	6
12	$\frac{1}{2}$	" "	14	16	18	22	28	32	2 10 0	6 $\frac{1}{4}$
14	$\frac{9}{16}$	.028 or 22 gauge	14	16	18	22	28	32	3 2 6	9 $\frac{1}{2}$

Heavy Gravity and Position Feed Machine Sizes. List C.

10	$\frac{3}{4}$	.032 or 21 gauge	...	...	14	16	18	22	2 16 6	10 $\frac{3}{4}$
10	1	.049 or 18 "	10	12	14	...	...	...	5 2 6	22
12	$\frac{5}{8}$	.032 or 21 "	...	...	14	16	18	22	3 0 0	10 $\frac{1}{2}$
12	$\frac{5}{8}$	.042 or 19 "	10	12	14	...	...	...	4 7 6	16
12	1	.049 or 18 "	10	12	14	...	...	...	6 2 6	26
14	$\frac{5}{8}$	.032 or 21 "	...	...	14	16	18	22	3 10 0	12
14	$\frac{5}{8}$	.042 or 19 "	10	12	14	...	...	...	5 2 6	18
14	1	.049 or 18 "	10	12	14	...	...	...	7 3 0	30
16	$\frac{3}{4}$	.032 or 21 "	...	...	14	16	18	22	4 10 0	17
16	1	.049 or 18 "	10	12	14	...	...	...	8 3 6	34
17	$\frac{3}{4}$	.049 or 18 "	10	12	14	...	...	...	6 18 6	26
17	1	.056 or 17 "	10	12	...	...	...	...	9 18 6	41
18	1	" " "	10	12	...	...	...	...	10 10 0	44 $\frac{1}{2}$
19	1	" " "	10	12	...	...	...	...	11 2 6	47
20	1	.065 or 16 "	10	...	...	...	...	...	13 2 6	56
21	1	" " "	10	...	...	...	...	...	13 16 0	59
22	1	" " "	10	...	...	...	...	...	14 9 0	62
23	1	" " "	10	...	...	...	...	...	15 2 0	64
24	1	" " "	10	...	...	...	...	...	15 15 0	67

NOTE.—Unless otherwise ordered 14" blades measure 13 $\frac{1}{2}$ ", and 17" blades 16 $\frac{1}{2}$ " between centres.
All hard Blades sent unless Flexible Backs specially ordered.

BUCK SAWS.



Complete with webs, set and sharpened.

No. 164. Hand Saw Tooth, S. & J's. "Mermaid" Brand, 30 x 2 3/8 inches ... 10/6 each.

No. 165. Lightning, do. 13/- each.

No. 166. American, do. 13/- each.

Blades only, set and sharpened.


No. 168. Hand Saw Tooth, S. & J's. "Mermaid" Brand, 30 x 2 3/8 inches ... 52/- doz.

No. 169. Lightning, do. 81/- doz.


No. 170. American, do. 81/- doz.

No. 171. "John Cockerill" Brand... 24/- doz.

TURNING FRAMES



No. 110



No. 245

Turning or Chair Frames, Spear & Jackson's "Leapfrog" Brand.

	10	12	14	16	18	20	22	24 inch.
No. 110. Beech frames with webs, beech handles	123/-	137/-	146/-	170/-	201/-	228/-	254/-	311/- doz
No. 111. " " " box " "	135/-	149/-	158/-	192/-	219/-	253/-	284/-	312/- " "
No. 245. Beech handled frame, with wire stretcher	145/-	159/-	168/-	192/-	223/-	250/-	276/-	333/- " "
No. 246. Box " " " " " "	157/-	171/-	180/-	214/-	241/-	275/-	306/-	334/- " "

Packed in Cardboard Boxes of 1/3 doz.

No. 112. Turning or Chair webs only, ground thin to back, set and sharpened.

	10	12	14	16	18	20	22	24 inch.
No. 112. Turning Webs	5/6	6/6	7/6	8/6	10/-	11/6	13/-	14/6 doz.



Fret Saw Pads. Without blades. Beech.

No. 102. Large, 8 inches long...	...	...	...	37/6 dozen.
No. 103. Small, 7 1/4 inches	...	...	...	30/- " "



Pad Saw Blades.


	7	8	9	10	11	12	13	14 inches.
No. 161. "Mermaid" Brand, Straw coloured, set and sharpened, ground thin to back	6/-	6/6	7/-	7/6	8/-	9/-	10/-	11/- dozen.
No. 108. "Leapfrog" Brand, Bright, set and sharpened	5/-	5/6	6/-	6/6	7/-	8/6	...	...



No. 109 Metal Padsaws, black japanned handle, complete with 7 in. blade ... 27/- doz.


Packed in cardboard boxes of 1 doz.

BUTCHERS' BOW SAWS.


**No. 33. Butchers' Thumbscrew Bow.** "Mermaid" Brand.

Bright Oval Steel Back, selected English Beech Handle, polished on edges and inside grip, with blades 22G thick and 10 points per inch.

Length of Blades	...	...	14	16	18	20	22	24 inches.
Width	..	..	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$ "
No. 33, with Screw	...	...	158/-	165/-	172/-	180/-	188/-	203/- dozen.
No. 34 Riveted	...	...	113/-	120/-	128/-	135/-	143/-	158/- "


**No. 35. "Smithfield" pattern Bow Saw.** Riveted blades, unpolished handles.

Length of blades	16	18	20 inches.
Thickness of	21G	21GT	21GT
Points	10	10	9
Price	126/-	137/-	148/- dozen.

**No. 36. Kitchen Bow Saw.** "Leapfrog" Brand.

Flat Bright Steel Back, English Beech Handle, polished on edges and inside grip.

Blades	...	...	3 $\frac{3}{4}$ x 14	3 $\frac{3}{4}$ x 16 inches.
Price, complete	85/-	90/-	dozen.	
.. Blades only	20/-	22/-	..	

**No. 37. Household Bow Saw.** "John Cockerill" Brand.

Bright Round Steel Frame, English Beech Handle, polished on edges and inside grip.

Price, complete with 14-inch Blade ... 56/- dozen.

**No. 84. Butchers' Blades** for Nos. 33 and 34. "Leapfrog" Brand.
with blades 22G thick and 10 points per inch.

Length of Blades	...	...	14	16	18	20	22	24 inches.
Width	..	..	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$ "
Price	...	...	31/6	36/-	37/6	40/6	42/-	43/6 dozen.

CROSS-CUT SAWS.



No. G48. Peg tooth, Crescent, ground 2 gauges thin on back. S. & J.'s extra quality.
Fitted with one fast and one loose tang.

Length	3	3½	4	4½	5	5½	6	6½	7	8 feet.
	11/-	12/-	13/-	15/-	18/-	19/-	22/-	24/-	26/-	39/- each.



No. G52. Great American Tooth, S. & J.'s extra quality, Crescent, ground 2 gauges thin on back.
Fitted with one fast and one loose tang.

Length	3	3½	4	4½	5	5½	6	6½	7	8 feet.
	11/-	12/-	13/-	15/-	18/-	19/-	22/-	24/-	26/-	39/- each.



No. G13. Cross-cut Saws. John Cockerill's "Ætna" Brand.
Warranted cast steel, peg tooth, set and sharpened, with two fast tangs.

Length	3	3½	4	4½	5	5½	6 feet.
	11/-	12/-	13/-	15/-	18/-	19/-	22/- each.



No. G26. Gullet Tooth.



No. G28. "V" Tooth.

Scotch Cross-cut Saws, "Mermaid" Brand. Ground two gauges thin to back,
Fitted with two fixed japanned tangs.

		Length of Blade		3	3½	4	4½	5	5½ feet.
		Width "		4	4	4½	4½	5	5½ inches.
No. G26	S. & J's extra quality	...	...	11/-	12/-	13/-	15/-	18/-	19/- each.
No. G28	" " "	...	...	11/-	12/-	13/-	15/-	18/-	19/- "

All Saws on this page are sent set and sharpened.

CROSS-CUT SAWS. HOLLOW BACK.

Special Alloy Steel, patent machine ground, special finish, set and sharpened.




No. G23	Lance Tooth	...	...	3½	4	4½	5	5½	6	6½	7 feet.
				11/-	12/6	14/-	15/6	17/-	18/9	20/3	22/- each.



No. G25	Great American Tooth	...	3½	4	4½	5	5½	6	6½	7 feet.
			11/-	12/6	14/-	15/6	17/-	18/9	20/3	22/- each.


ONE-MAN CROSS-CUT SAWS.




With one supplementary handle, set and sharpened.

No. 200	S. & J.'s "Mermaid" Brand, Great American Tooth	2½	3	3½	4	4½	5 feet.
		14/6	15/6	18/-	21/-	24/-	27/6 each.
No. 202	John Cockerill's "Ætna" Brand, " "	14/6	15/6	18/-	21/-	24/-	27/6 "

HANDLES FOR CROSS-CUT SAWS.



No. G103.



No. G106.



No. G107.

No. G103	Improved reversible tangs and handles complete, 13½" long by 1⅝" at strongest part	4/6	per pair.
" G106	Climax pattern, reversible handle, 13½" long by 1⅝" at strongest part	4/6	"
" G107	Plain ash handles for fast or movable tangs, 13" long	1/6	"



ONE MAN CROSS-CUT FITTINGS.

No. 208.	Beech handles, slit and bored, complete with screws.
For saws up to 3 feet	24/- doz.
For saws 3½ to 5 feet	25/6



No. 153.

Supplementary handles, 1/10½ ea.

PIT SAWS, PIT SAW FITTINGS, AND MILL WEBS.


PIT SAWS.



No. G36

"Mermaid" Brand, Extra Cast Steel, Patent Machine Ground, High Temper, not set or sharpened.

Length	...	...	...	5	5½	6	6½	7	7½	8	8½	9	9½	10 feet.
Thickness	...	...	...	13E	13E	13E	13	13	12E	12E	12	12	12	12 Stubs' W.G.
Maximum width at A without extra charge	...	...	...	3½	3½	3½	3½	3½	3½	3½	3½	3½	3½	3½ ins.
"	B	"	"	11	11	11	11	11	11	12	12	12	12	12 ins.
Price	...	...	...	19/6	21/-	24/-	26/-	28/-	33/-	41/-	48/-	56/-	64/-	74/- each.



No. G38

Pit Saw Boxes,
Beech, unpolished,
66/6 doz.



No. G39

Iron Pit Saw Boxes,
japanned,
25/- doz.



No. G41

Pit Saw Tillers.

Wrought Iron, japanned ... 45/6 doz.

MILL WEBS.



No. G30



No. G31

Prices on application.


LONDON PATTERN BILLET WEBS.



Set and Sharpened.
Hand Saw Tooth ... 66/- doz.

30 × 3 inch.
Fleam Saw Tooth ... 102/- doz.

NARROW BAND SAWS.




Narrow Band Saws. Extra Cast Steel, "Mermaid" Brand, Set Teeth.

	Width to	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	2	$2\frac{1}{2}$ inches.
Gauge ...	...	22	22	21	21	21	21	20	20	20	20	20	20	19	19
Standard No. of points per inch	...	6	5	$4\frac{1}{2}$	4	$3\frac{3}{4}$	$3\frac{3}{4}$	$3\frac{3}{4}$	$3\frac{3}{4}$	$3\frac{1}{2}$	$3\frac{1}{2}$	$\frac{1}{2}$ " pt. to pt.	$\frac{1}{2}$ " pt. to pt.	$\frac{5}{8}$ " pt. to pt.	$\frac{7}{8}$ " pt. to pt.
Price, set and sharpened ...	...	$1\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{1}{6}$	$1\frac{1}{8}$	$1\frac{1}{10}$	2/-	$2\frac{1}{4}$	$2\frac{1}{8}$	3/-	$3\frac{1}{4}$	$3\frac{1}{8}$	4/-	$4\frac{1}{8}$	$5\frac{1}{6}$ per yard.

Odd inches in length charged as one foot.

Saws brazed, set and sharpened, of less than 12 feet long, charged as 12 feet.


SAW SETS.



No. 19. Double Handed for Circular Saws, 5 gates,
15/- each.



No. 141a. Saw Sets, Strong for Circular
Saws, Pit Saws, &c. Black, 6 gates.
6/6 each.



Saw Sets, Bright, for Cross-cut Saws, &c.


No. 132 With Guard, 12 gates ... 5/6 each.

No. 133. Without Guard, 12 gates ... 5/- ..




No. 136. Saw Sets. Bright.


4	6	8 gates.
33/-	36/-	37/6 doz.



No. 135. Saw Sets, Bright Turn screw End, 14 gates,
36/- doz.



No. 134. Saw Sets, Bright, with Brass
Guard, 12 gates, 42/- doz.



CIRCULAR SAWS.


"MERMAID" BRAND SOLID TOOTH CIRCULAR SAWS.

Absolutely true round,
set and sharpened
ready for use.

Diameter in Inches	Ordinary Thickness Stub's W.G.	Standard Size of Hole	Approximate Weight	Price each	Extra for each Gauge stronger
2	22	1/8	—	3/6	3d.
3	22	1/8	2 ozs.	4/-	3d.
4	21	1/8	3 "	4/6	3d.
5	21	1/8	4 "	6/-	6d.
6	20	1/8	5 "	7/-	6d.
7	19	1/8	7 "	8/-	6d.
8	19	1/8	10 "	9/6	9d.
9	18	1/8	14 "	11/-	9d.
10	18	1/8	1 lb.	13/-	9d.
11	18	1/8	1 1/2 "	15/-	1/-
12	17	1/8	1 3/4 "	16/-	1/3
14	17	1/8	2 1/4 "	20/-	1/6
16	16	1/8	3 1/2 "	24/-	1/9
18	15	1	5 "	30/-	2/-
20	14	1	7 "	36/-	2/6
22	14	1	9 "	42/-	3/-
24	13	1 1/4	12 "	48/-	3/6
26	13	1 1/4	14 "	56/-	4/-
28	13	1 1/4	16 "	66/-	4/6
30	12	1 1/4	23 "	76/-	5/-
32	12	1 1/2	26 "	88/-	6/-
34	12	1 1/2	28 "	104/-	7/-
36	11	1 1/2	34 "	120/-	8/6
38	11	1 3/4	42 "	145/-	10/-
40	11	1 3/4	47 "	160/-	12/-
42	10	1 3/4	52 "	180/-	15/-
44	10	1 3/4	56 "	215/-	18/-
46	9	1 3/4	63 "	240/-	21/-
48	9	1 3/4	77 "	270/-	24/-
50	8	2	90 "	380/-	27/-
52	8	2	100 "	420/-	30/-
54	7	2	112 "	480/-	35/-
56	7	2	122 "	570/-	40/-
58	7	2	130 "	620/-	45/-
60	6	2	164 "	680/-	50/-
62	6	2 1/4	171 "	760/-	55/-
64	6	2 1/4	182 "	860/-	60/-
66	6	2 1/4	192 "	980/-	65/-
68	6	2 1/4	203 "	1100/-	70/-
70	5	2 1/4	238 "	1250/-	80/-
72	5	2 1/4	260 "	1400/-	90/-
74	5	2 1/4	266 "	1600/-	100/-
76	5	2 1/4	280 "	1820/-	120/-
78	5	2 1/4	300 "	2100/-	140/-
84	5	2 1/4	406 "	2400/-	160/-

We allow a maximum thickness of one gauge stronger than ordinary without extra charge.

CIRCULAR SAWS.



SPECIAL SHOW BOARD FOR SMALL CIRCULAR SAWS.

We are now supplying small Circular Saws of standard gauge, centre hole and teeth, in nests comprising one saw each 3, 4, 5, 6, 7, 8, 9, 10, 12 ins., and to each customer ordering this selection we give a beautifully finished standing Show Board, as illustrated, free of charge.

The Board is fitted with a nickel-plated bolt and nut so that any Saw can be easily detached, and, when sold, can be replaced by a similar Saw, thus keeping the range intact.

Price complete, with 9 Saws (3 to 12 inches), 79/- each.

For the convenience of customers, the following labels are attached to the reverse side of these Show Boards:—

EXTRA CAST STEEL CIRCULAR SAWS FOR WOOD.

SET AND SHARPENED READY FOR USE.

SPEAR & JACKSON'S "MERMAID" BRAND.

Diameter ...	3	4	5	6	7	8	9	10	12 inches.
Ordinary Thickness ...	22	21	21	20	19	19	18	18	17 gauge (Stubs')
Diam. of Centre Hole...	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{3}{4}$ inches.
Speed at which Saws should be run	13,040	9,780	7,840	7,520	5,460	4,600	4,300	3,920	3,260 revs. per min.


Net Retail Price

WARRANTY.

Every Saw is carefully examined before leaving our Works, and is warranted to be as true as it is possible to make it: evenly tempered, properly tensioned, and free from cracks, flaws, or split teeth. If found defective in any of these particulars it may be returned to us, and if on examination we are satisfied that the Saw is at fault, all necessary repairs will be made free of charge or a new Saw given in exchange, providing that it is returned within 30 days from date of receipt.

The practice of using a cold chisel or punch for re-toothing is almost certain to crack the plate. The filing of square corners in the gullets will also cause the same result, particularly in frosty weather. Our Warranty does not cover such cases, nor will we replace Saws spoilt by the temper being drawn in sharpening with an emery wheel. This operation requires extreme care, and we strongly recommend the use of the file in preference.

SPEAR & JACKSON LTD.



INSERTED TOOTH CIRCULAR SAWS.

Made with two different sizes of teeth, viz., Nos. 2 and 3. Both are suitable for general work in hard and soft woods.

No. 2 is the smallest and most suitable for Hand Feed Automatic Rope, and Roller Feed Benches of the smaller dimensions.

No. 3 is recommended for the heavier breaking down work on Automatic Rack and Travelling Carriage Saw Benches

The Standard¹ Blades are one gauge stronger at centre than at rim. This can be varied if specially ordered.

In the price we include: 1 extra set of teeth,
2 spare holders and one wrench.

EXTRAS.

Spare teeth, Nos. 2 and 3 ... 25/- per 100.
Spare holders ... 25/- .. doz.
Spare wrenches ... 5/6 each.

Diameter in inches	Standard Gauge at Rim (Stub's)	Type of Tooth	Size of Saw kerf inches	No. of teeth in Standard Saw	PRICE EACH	Extra for each gauge after first thicker
18	13	2	$\frac{5}{32}$	16	£ 12 5 0	£ 3 0
20	13	2	$\frac{5}{32}$	18	13 15 0	3 9
22	13	2	$\frac{5}{32}$	20	15 5 0	4 6
24	13	2	$\frac{5}{32}$	24	17 0 0	5 3
26	13	2	$\frac{5}{32}$	26	18 15 0	6 3
28	12	2	$\frac{5}{32}$	28	20 10 0	7 6
30	12	2	$\frac{5}{32}$	28	22 10 0	8 9
32	12	2	$\frac{5}{32}$	30	25 0 0	10 0
34	11	2	$\frac{3}{16}$	32	27 10 0	11 3
36	11	2	$\frac{3}{16}$	34	30 0 0	13 0
38	11	2	$\frac{3}{16}$	36	32 10 0	15 0
40	10	2	$\frac{3}{16}$	38	35 0 0	17 0
42	10	2	$\frac{3}{16}$	40	37 10 0	19 0
36	11	3	$\frac{7}{32}$	26	26 10 0	13 0
38	11	3	$\frac{7}{32}$	26	28 15 0	15 0
40	10	3	$\frac{7}{32}$	26	31 5 0	17 0
42	10	3	$\frac{7}{32}$	30	34 5 0	19 0
44	10	3	$\frac{7}{32}$	32	37 10 0	1 2 0
46	9-10	3	$\frac{1}{4}$	34	41 5 0	1 5 9
48	9-10	3	$\frac{1}{4}$	34	45 0 0	1 9 6
50	9	3	$\frac{1}{4}$	36	50 0 0	1 13 3
52	8-9	3	$\frac{9}{32}$	38	55 0 0	1 17 0
54	8-9	3	$\frac{9}{32}$	40	62 10 0	2 4 0
56	8	3	$\frac{9}{32}$	42	70 0 0	2 11 3
58	7-8	3	$\frac{5}{16}$	44	77 10 0	2 18 9
60	7-8	3	$\frac{5}{16}$	44	85 0 0	3 6 3
62	7	3	$\frac{5}{16}$	46	95 0 0	3 13 9
64	7	3	$\frac{5}{16}$	46	106 5 0	4 8 0
66	6-7	3	$\frac{5}{16}$	50	117 10 0	5 10 0
68	6-7	3	$\frac{5}{16}$	52	130 0 0	6 12 0
70	6	3	$\frac{5}{16}$	54	142 10 0	7 14 0
72	6	3	$\frac{5}{16}$	56	155 0 0	8 16 0
74	6	3	$\frac{11}{32}$	58	175 0 0	—
76	6	3	$\frac{11}{32}$	58	200 0 0	—
78	6	3	$\frac{11}{32}$	60	225 0 0	—
84	5	3	$\frac{11}{32}$	66	275 0 0	—

Q Saws of a smaller diameter than above list quoted for on receipt of specifications.

Q No extra charge for saws one gauge thicker or thinner than list.

Q We do not warrant saws thinner than one gauge below standard.

Q TAPER SAWS. If more than one gauge taper add 5% to list price for each gauge.

Q FOR EXPORT. We invariably supply blades one gauge thicker than standard (no extra cost) unless otherwise ordered.

BUTCHERS' TOOLS.

(For illustrations and prices of Back Saws and Bow Saws see pages 10 & 14.)

SPECIAL TEMPER.

Attention is drawn to the Special Temper of all Butchers' Back Saws, Bow Saws, and Cleavers for use on frozen carcasses. We have made a special study of this trade, and guarantee all these tools to give the best possible service.

THE TEST


applied to every "NEVERFAIL" Cleaver and Chopper.




THE TEMPER of every "Neverfail" Cleaver and Chopper is tested by a hard blow on an iron bar.




Iron Bar, showing marks made by "Neverfail" Cleavers in testing.



Sausage Knives.




Bacon Slicing Knives.




"Mermaid" Brand, Extra Cast Steel for Bow Saw blades in coils, Toothed only

PRICES ON APPLICATION.


"NEVERFAIL" BUTCHERS' TOOLS.




No. D1036




No. D1038



No. D1039




No. D1140



No. D1032

		Width on cut														lbs.
		2½	3	3½	4	4½	5	6	7	8	9	10	11	12	ins.	
		7¼	7½	7¾	8	8½	9¼	10	10½	10¾	11	11¼	11½	11¾		
No. D1036	Butchers' Cleavers, bright scale tang	12/-	13/-	14/6	16/6	18/-	19/6	21/-	24/-	26/6	29/-	32/-	35/-	38/-	each.	
No. 2																
No. D1038	Household Choppers, bright ...	...	...	...	...	...	...	...	...	...	...	6 x 3½ ins.,	42/-	doz.		
						8	9	10	11	12	13	ins.				
No. D1039	Lamb Choppers, bright round nose, scale tang					144/-	146/-	149/-	151/-	153/-	170/-	doz.				
No. D1040	„ „ „ square „ „ „															
No. D1140	London or Smithfield pattern choppers, 8 ins. scale tang					—	160/-	170/-	180/-	190/-	—	„				
						5	6	7	8	9	10	lbs.				
No. D1032	Scotch pattern, solid handle	...	...	...	...	18/-	21/-	24/-	27/-	30/-	34/-	each.				



No. D1066

S. & J.'s "Mermaid" Brand, extra quality, solid handle.

		5	6	7	8	9	10	11	12	13	14	lbs.
		9¼	10	10½	10¾	11	11¼	11½	11¾	12	12¼	ins.
No. D1066	Butchers' Cleavers, all bright	18/-	21/-	24/-	27/-	30/-	34/-	38/-	42/-	46/-	50/-	each.

CHISELS AND GOUGES.




No. D3. Handled Ash or Beech Bottle Neck Handles.



No. D4. Handled Ash or Beech Carving Pattern Handles.

Firmer Chisels. S. & J.'s "Mermaid" Brand, Cast Steel, Gas Tempered.

			$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	2	ins.
No. D1.	Unhandled	...	4/3	4/3	4/3	4/9	5/6	6/-	6/6	7/6	8/6	10/-	11/-	12/-	13/6	15/-	16/6	20/-	doz.
No. D3.	Handled	...	6/9	6/9	6/9	7/3	8/-	8/6	9/-	10/-	11/-	12/9	13/9	15/-	16/6	18/6	20/-	23/6	"
No. D4.	"	...	6/9	6/9	6/9	7/3	8/-	8/6	9/-	10/-	11/-	12/9	13/9	15/-	16/6	18/6	20/-	23/6	"
No. D5.	" Bottle nk. Box.	}	9/6	9/6	9/6	10/-	10/9	11/6	12/-	13/-	13/6	16/-	17/-	18/6	20/-	22/-	24/	27/6	"
No. D6.	Carving																		



No. D12. Handled Ash or Beech Bottle Neck Pattern Handles.



No. D13. Handled Ash or Beech Carving Pattern Handles.

Bevelled Edge Firmer Chisels. S. & J.'s "Mermaid" Brand, Cast Steel, Gas Tempered.

		$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	2	ins.	
No. D10.	Unhandled...	8/3	8/3	8/3	8/9	9/6	10/-	10/6	11/6	12/6	16/-	17/-	18/-	19/6	23/-	24/6	28/-	doz.	
No. D12.	Handled ...	}	10/9	10/9	10/9	11/3	12/-*	12/6	13/-	14/-	15/-	18/9	19/9	21/-	22/6	26/6	28/-	31/6	,,
No. D13.	"																		
No. D16.	" with London Oct. Box...																		




No. D21. Ash or Beech Bottle Neck Handles.



No. D22. Ash or Beech Carving Pattern Handles.

Firmer Gouges. S. & J.'s "Mermaid" Brand, Cast Steel, Gas Tempered.
Unless otherwise specified, Sweep "C" always sent.

		Gross otherwise specified, Sweep																			
		$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	ins.		
No. D19.	Unhandled	5/3	5/3	5/3	5/9	6/6	7/-	7/9	8/9	9/9	11/6	13/-	14/-	16/-	17/6	19/6	21/-	24/-	doz.		
No. D21.	Handled...	}	7/9	7/9	7/9	8/3	9/-	9/6	10/3	11/3	12/3	14/3	15/9	17/-	19/-	21/-	23/-	24/6	27/6	,,	
No. D22.	" ...																				



No. D17.


Registered Chisels, Improved Pattern. S. & J.'s "Mermaid" Brand, Cast Steel, Gas Tempered, Polished Ash Handles and Bright Iron Hoops.

		$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	ins.
No. D17.	Handled ...	12/-	12/-	12/3	12/6	13/3	14/6	15/9	18/9	19/9	20/9	22/-	23/3	doz.
No. D18.	Unhandled	7/-	7/-	7/3	7/6	8/3	9/3	10/6	13/6	14/3	15/-	16/3	17/6	"

TURNING TOOLS.



No. D26. Chisels, Unhandled.



No. D27. Gouges, Handled.

S. & J.'s "Mermaid" Brand, Cast Steel, Gas Tempered.

	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ ins.
No. D26. Chisels, ... unhandled	6/-	6/-	6/6	7/3	8/-	9/-	10/-	11/6	13/-	14/6	16/6	18/6 doz.
No. D27. Gouges, ... "	7/9	7/9	8/9	9/9	10/6	12/3	14/-	15/9	17/6	20/6	23/9	26/9 "
No. D28. Long Strong Chisels, ..	10/-	10/-	10/6	11/-	12/-	13/6	14/6	16/6	19/-	20/6	23/9	27/- "
No. D29. " " Gouges, ..	15/3	15/3	16/-	18/9	20/6	23/3	27/-	29/6	32/-	35/6	40/-	44/6 "

Extra for handling with round beech polished handles, brass hoop, as shown above, and sharpened,
5/- per doz. extra.

LONG THIN PARING TOOLS.





No. D31. Bevelled Edge Chisels, Unhandled.


S. & J.'s "Mermaid" Brand, Cast Steel, Gas Tempered.

	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ ins.
No. D30. Chisels, unhandled	7/6	7/6	7/9	8/6	9/6	10/9	11/6	14/-	16/-	19/-	20/6	23/- doz.
No. D31. Bevelled edge, ..	13/6	13/6	13/9	14/6	15/6	16/9	17/6	20/-	25/-	28/-	29/6	32/- "

HANDLES.


No. D61. Taper pattern, polished beech,
6/6 doz. assorted.No. D62. Bottle neck pattern, polished beech
or ash, 5/9 doz. assorted.No. D64. Octagon (London) pattern,
polished box, 11/-; beech, 8/- doz. assorted.No. D65. Double iron hooped, for strong firmer
chisels and gouges,
polished beech, 7/6 doz. assorted.No. D63. Carving pattern.
beech, 5/9 doz. assorted.No. D68. Socket chisel pattern.
polished beech, 8/6 doz. assorted.

PLANE IRONS.




Single Irons, Cut, Extra Cast Steel Face, "Mermaid" Brand, Half Bright.

		1 $\frac{3}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$ ins.
No. D179	...	8/9	10/-	10/6	12/-	13/3	14/- doz.



No. D180



No. D181


No. D180. Double Irons, complete with Screws and Brass Nuts.

	1 $\frac{3}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$ inches.
	16/9	18/6	19/3	21/3	23/3	24/9 dozen.

No. D181. Top Irons only, complete with Screws and Brass Nuts.

	1 $\frac{3}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$ inches.
	6/3	6/9	7/-	7/6	8/3	9/- dozen.

DRAWING KNIVES.



No. D170

Cast Steel, "Mermaid" Brand.



No. D174


		Size	8	9	10	11	12 inches.
No. D170	Carpenters', handled		60/-	61/-	63/-	64/-	72/- dozen.
No. D174	Round Shaves, handled	...		72/- dozen.			

[illegible]

"NEVERBLUNT" HATCHETS.



No. D108
"Kent" Pattern.
All made in Solid Steel.



No. D116
"Hunters'" Hatchets.

			Nos.	1	2	3	4	5	
No. D108.	Self colour, Bright Head		...	42/-	46/-	50/-	54/-	57/-	doz.
No. D108a.	"Kent" warranted quality Hatchets, assorted finished Bright and Blue, Bright and Red, and Bright and Gold		...	57/-	61/-	65/-	69/-	72/-	„
No. D116.	"Hunters'," Extra quality, Bright and Blacked, selected handles, 72/- dozen.								



This illustration shows
— how every —

"NEVERBLUNT"

AXE and HATCHET
is tested on an Iron Bar

"NEVERBLUNT" STICK CHOPPERS.

Special
quality
Steel.
Through
tang.



A very useful
tool for house-
hold & garden
work.

Far superior to
a hatchet for
stick chopping

No. D117a.	9 inches on cut × 2½ inches deep	Half-Bright and Blue	...	39/- dozen.
No. D117b.	6 „ × 2½ „	Bright all over	...	41/6 „

"LONG-LIFE" SPECIAL QUALITY MINERS' PICKS.



This illustration shows a "LONG-LIFE" Pick fixed in an iron plate with one blow and without breaking the point.

"LONG-LIFE" Picks last **three or four times** as long before they require to be re-pointed, and are, therefore, worth three or four other picks.

They cost a little more in the first instance and very much less in the long run.



No. D1178



No. D1180

		1½	2	2½	3	3½	4	4½	lbs.
No. D1178	Interchangeable Miners' Picks, double pointed	...	...	...	...	...	...	...	...
No. D1179	" " " hammer heads	...	...	...	...	...	...	...	...
		Straight Blades.						Anchored.	
		Fit Shafts Nos.	0	0	0	0	1	1	1
		Size Nos.	...	1½	1¾	2	2¼	2½	2¾
No. D1180.	Grooved Head Miners' Picks	23/6	24/-	25/6	27/-	26/6	27/-	28/-	...
		Blades for Nos. 0 & 1 Shafts, if anchored, 1/6 dozen extra.							
		31/6	34/6	37/6	40/-	42/6	45/-	48/-	...




No. D1184



No. D1186

No. D1184	Best Hickory Handles, 30 in., headed and ferruled, for D1178, D1179 Picks	...	...	56/-	doz.
No. D1182	" " " " naked	...	...	23/6	"
		Nos.	0	1	2
No. D1186	Best Hickory Handles, headed only, single wedge, for D1180 Picks	...	63/-	68/-	77/-
No. D1188	" " " " naked	...	...	23/6	"

PICKS.



No. D1171.



No. D1183

INTERCHANGEABLE PICKS.

	5	5½	6	6½	7	8	lbs.
No. D1171. Navy Picks, interchangeable, point and chisel end, ground, *No. 2 eye	63/-	66/-	72/-	79/-	83/-	—	doz.
No. D1172. " " " " double pointed ends, *No. 2 eye	...	...	...	...	...	...	...
No. D1183. Handles, best hickory, headed and ferruled, *No 2 eye	...	...	...	...	...	36in.	63/- ..

*The size of No. 2 eye is 2¾ x 1½ in. Eyes are tapered slightly, the measurements given being always for the largest end.




No. D1176.



No. D1181.

SOLID EYE NAVVY OR ROAD PICKS.


	5	5½	6	6½	7	8	9	lbs.
No. D1176. Picks, well steeled, self colour, point & chisel end, one ground point	126/-	121/-	116/6	112/-	108/-	105/-	99/6	cwt.
Double pointed same price. If with extra wide chisel end, 1¾ in. and over	...	...	...	...	...	...	2/6	doz. extra.
No. D1181. Handles, naked	...	...	...	...	...	...	36 in., 42/6	doz.; 39 in., 45/- doz:




No. D1191

No. D1191 Garden Picks, solid oval eye, point and chisel ends, ground finish, bright and red, 4 lbs.
Unhandled ... 61/6 doz.
Handled with 36 in. Hickory ... 42/6 .. extra.

MATTOCKS.



No. D1223



No. D1224

Approximate Size on Cutting Edge

4	4½	5	5½ lbs.
3¾	3¾	4	4¼ in.

No. D1223. **Short Cutter**, Solid Steel, blacked, glazed about 2 in. up ... 79/- 82/- 85/- 88/- doz.

No. D1224. **Long Cutter**, Solid Steel, blacked, glazed about 2 in. up' ... 90/- 93/- 96/- 99/- ..

Eyes are 3 in. × 2 in.



No. D1226. Best Hickory Handles for above, 36 in. .. 42/6 doz.


CARPENTERS' ADZES.



No. D152



No. D154



No. D162

S. & J. "Mermaid" Brand, best quality and finish.

	Nos.	0	1	2	3	4
No. D152. Ridged Blade, Blue	...	86/-	88/-	93/-	104/-	108/- doz.
No. D154. " " Blue, Bright Head and Cannell	...	96/-	98/-	105/-	110/-	117/- "
No. D155. " " Half Bright and Blue	...	101/-	104/-	109/-	113/-	120/- "
No. D162. New Pattern Coopers' Adze , Half Bright and Blue	...	—	112/-	118/-	124/-	— "



No. D160 Best Ash Adze Handles, 34 in. ... 34/- doz.

HAMMERS, WEDGES, ETC.



No. D603.



No. D606.



No. D607.



No. D1200.



No. D1201.

No. D603.	Sharp end, long pattern, unhandled	2—2½ lb.	3—3½ lb.	4 lb.	5 lb.	6 lb. and over.
No. D606.	London Club, unhandled ...	146/-	128/6	113/6	102/-	98/- cwt.
No. D607.	Welsh Pattern, Walling, unhandled	1¼	1½	2	2½	3 3½ 4 lb.
No. D1200.	Colliers' Wedges, Solid Steel, narrow shape ...	13/6	14/6	16/6	19/6	22/6 26/- 30/- doz.
No. D1201.	„ „ Welsh pattern, octgn.					



No. D611.



No. D1163

No. D611.	Dressing Hammers, Solid Cast Steel, unhandled	...	...	...	...	1/6 lb.
No. D1163.	Stone or Granite Picks, 7lb. and above ...	...	...	...	...	1/5 „

STONE BREAKERS' HAMMERS.



No. D613.



No. D614.



No. D616.

		Under 1 lb.	1—1½ lb.	Over 1½ lb.
No. D613.	"Mermaid" Brand ...	18/- doz.	1/6 lb.	1/5 lb.
No. D616.	„ „ Egg shape ...	21/6 „	1/10 „	1/9 „
No. D614.	„ „ Stumpy ...	18/- „	1/6 „	1/5 „



No. D1156.



No. D621.



No. D624.



No. D1007

		2¾	3	3½	4	4½ lb.
No. D1155.	Mill Chisels, Solid Cast Steel, without eye, unhandled ...	63/-	68/-	77/-	84/-	98/- doz.
No. D1156.	„ „ „ with eye ...	72/-	77/-	86/-	93/-	107/- „
No. D621.	Miners' Quartz Drilling Hammers, S. & J.'s quality, unhandled, 6 lbs., 102/- cwt.	3—3½	4	5	6 lbs. and over.	
No. D624.	Spalling Hammer ...	144/-	131/-	118/-	112/-	cwt.

No. D1007.	Solid Steel Wood Splitting Wedges, self-colour, ground on points, varnished ...	5	6	7	8	9	10 inch.
		26/-	29/-	32/-	36/-	41/-	46/- doz.

If by weight, to 6in., 67/- cwt.; 7in. to 10in., 64/- cwt.

A.H.C. CHISELS. "Double Mermaid" special extra quality, highly recommended, made from S. & J's celebrated A.H.C. Steel.



Length	...	...	4	5	6	7	8	9	9 inches.
Size of Steel	...	...	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$1\frac{1}{2}$	$2\frac{1}{2}$	$3\frac{1}{2}$	"
Cutting edge	...	...	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$1\frac{1}{2}$	$2\frac{1}{2}$	$3\frac{1}{2}$	"
D852 Flat, black finish	...	...	11/-	12/6	13/9	19/-	22/-	30/-	35/- doz.
If ground and glazed...				2/8			5/4		doz. extra.

All Chisels are sent out "Black" finish unless ordered otherwise.

No. D808

		Width on cut							1 inch.
		$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	10	
		Length							..
No. D806.	S. & J. "Mermaid" Brand, Straight, Black finish	14/-	15/-	16/6	19/-	22/-	25/-	29/- doz.	
		Width on cut							$\frac{3}{8}$ inch.
		Length							..
No. D807.	S. & J. "Mermaid" Brand, Cross-cut	...	...	...	25/-	26/-	27/-	doz.	
No. D808.	" " " Diamond point	...	...	...	...	8" x $\frac{3}{4}$ "	26/-	doz.	




No. D931

No. D929.	Plumbers' Chisels, 16" x $\frac{3}{4}$ ", octagon, steel	...	...	...	...	...	28/6 doz.
No. D931.	Plugging Chisels, 10" x $\frac{5}{16}$ "	...	...	...	...	...	16/6 "


No. D72.

No. D72.



No. D81.

No. D84. Farmers' Solid Cast Steel, Polished Ash Handle.



No. D81a

No. D81a



No. D101

No. D602.


No. D602.




No. D85.

No. D602.	Farrier's Hammer, Cast Steel, Handled, Weight of Head, 12 ozs.	... 49/- doz.
No. D85.	Gardeners', Chequered Faced, Polished Ash Handles, No. 2 size	... 77/- „


BRACES



No. D266




No. D268




No. D269

With Ratchet.


			7	8	10	12	14 inches.
No. D266	Best Lignum Head, Ball Bearings, Rosewood Handles, Nickel-plated	...	—	22/6	24/-	25/-	25/6 each.
No. D268	Hardwood Head and Handle, Ball Bearings, Nickel-plated		19/6	19/6	21/-	21/6	22/- „
No. D269	Hardwood Head and Handle, Ball Bearings, Bright Steel		—	16/6	18/-	18/6	19/- „



No. D262



No. D263



No. D264

Without Ratchet.

			5	7	8	10	12 inches.
No. D262	Hardwood Head and Handle, Ball Bearings, Nickel-plated	...	8/-	8/6	9/6	10/6	11/6 „
No. D263	Hardwood Head and Handle, Ball Bearings, Bright Steel		6/6	7/-	8/-	9/-	9/6 „
No. D264	Beech Head and Handle, Bright Steel		—	5/6	6/-	8/6	— „

BRACE BITS.



No. D283

Centre Bits. Cast Steel, "Mermaid" Brand, Sharpened.

	To $\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2 ins.
D283. Black ...	4/-	4/6	4/6	4/9	5/-	5/6	6/-	7/-	8/-	9/-	10/-	11/-	12/6	14/-	16/- dozen
„ Bright ...	5/-	5/6	5/6	5/9	6/-	6/6	7/-	8/2	9/2	10/2	11/2	12/4	13/10	15/4	17/4 „



No. D284



No. D285



No. D286

	To $\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$ in.
No. D285. Shell ... {	Black 4/8	5/-	5/6	7/-	8/-	12/-	14/6 doz.
	Bright 5/3	5/7	6/1	7/7	8/7	13/-	15/6 „
No. D284. Nose ... {	Black 5/2	5/6	6/-	7/6	8/6	12/6	15/- „
No. D286. Spoon ... {	Bright 5/9	6/1	6/7	8/1	9/1	13/6	16/- „



No. D289

	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$ in.
No. D289. Shell Gimlet {	Black ...	...	...
	Bright ...	...	...



No. D291

	$\frac{1}{16}$ - $\frac{5}{16}$	$\frac{11}{32}$ - $\frac{3}{8}$ in.
Twist Nose or "Swiss" pattern, bright, best quality ...	4/8	5/8 doz.



No. D302



No. D304

	Black.	Bright.
No. D302. Turnscrew, plain ...	4/-	4/11 doz.
No. D304. Square Rimers ...	5/-	5/11 „

BRACE BITS.



No. D295



No. D296



No. D297

Countersink Bits, Cast Steel, "Mermaid" Brand, Sharpened.

				$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 inch
No. D295.	Flat Heads, Black	...	...	4/6	5/6	7/6	11/-	14/- dozen
No. D295.	" Bright	...	...	5/5	6/5	8/6	12/-	15/- "
No. D296.	Snail Horn, Black	...	...	5/-	6/-	9/-	13/-	16/- "
No. D296.	" Bright	...	...	5/11	6/11	10/-	14/-	17/- "
No. D297.	Rose Heads, 8 Cuts, Black	...	...	5/-	7/-	9/-	13/-	15/6 "
No. D297.	" " Bright...	...	...	5/11	7/11	10/-	14/-	16/6 "
No. D298.	" 12 Cuts, Black	...	...	5/6	8/-	10/6	14/6	17/- "
No. D298.	" " Bright	...	...	6/5	8/11	11/6	15/6	18/- "

				Black.	Bright.
No. D295.	If assorted to $\frac{5}{8}$ in.	...	5/-	5/11	dozen
No. D296.	" "	...	5/6	6/5	"
No. D297.	" "	...	6/-	6/11	"
No. D298.	" "	...	6/6	7/5	"



No. D299. Brace Drill Bits.

		To $\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$ inch.
Black	...	4/6	5/-	6/- dozen
In Sets of 7		...	3/6	per set.

BRACE BITS in Sets, assorted. In cardboard boxes.

"Mermaid" Brand, Cast Steel, Sharpened.

		12	18	24	30	36	42	48	54	60	Bits.
No. D306.	Black	...	4/8	7/-	9/4	11/10	15/3	17/-	20/-	23/-	26/- set.
No. D306.	Bright	...	5/3	7/11	10/6	13/4	17/-	19/1	22/4	25/8	28/11 "

AUGER BITS.

“Mermaid” Brand, Cast Steel, Bright.



Scotch Pattern, Bright.

No. D332.

To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{3}{16}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ ins.
	18/-	18/-	18/-	18/-	18/-	20/-	22/-	24/-	24/-	25/6	27/-	30/-	30/-	34/-	34/-	38/-	38/-	43/-	48/- doz.



Gedge's Pattern, Bright.

No. D334.

To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{3}{16}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ ins.
	18/-	18/-	18/-	18/-	18/-	20/-	22/-	24/-	24/-	25/6	27/-	30/-	30/-	34/-	34/-	38/-	38/-	43/-	48/- doz.



Jenning's Pattern, Bright.

No. D335.

To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{3}{16}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ ins.
	18/-	18/-	18/-	18/-	18/-	20/-	22/-	24/-	24/-	25/6	27/-	30/-	30/-	34/-	36/-	38/-	44/-	50/-	56/- doz.



Solid Wing Pattern,
Bright,
(Single Twist to $\frac{3}{8}$ in.)

No. D336.

To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{3}{16}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ ins.
	18/-	18/-	18/-	18/-	18/-	20/-	22/-	24/-	24/-	25/6	27/-	30/-	30/-	34/-	34/-	38/-	38/-	43/-	48/- doz.

AUGERS.



No. D315



No. D319




No. D321

Carpenters' Screw, 12 in. Shank—	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2 ins.
No. D315. Barrel Eye, Bright ...	20/6	20/6	22/6	25/6	28/-	31/6	35/6	40/-	46/-	51/6	56/6	61/-	72/-	78/- doz.
No. D316. „ „ Black ...	18/-	18/-	19/6	22/-	24/6	28/-	31/6	35/-	38/6	44/6	49/-	53/6	63/-	66/- „
“Scotch,” Round or Square Shanks—														
No. D319. Barrel Eye, Bright ...	23/-	23/-	26/-	31/6	34/6	39/-	43/6	50/-	53/6	60/-	64/-	72/-	77/-	85/- „
No. D320. „ „ Black ...	20/6	20/6	23/6	28/-	31/6	36/-	38/6	42/-	51/-	56/-	59/-	67/-	73/6	80/- „
“Gedge's” Pattern, 12 in. Shanks—														
No. D321. Barrel Eye, Bright ...	—	31/6	35/6	41/6	43/6	49/-	56/6	65/-	69/-	73/6	—	90/-	—	104/- „



No. D331. Best Ash Auger Handles, unpolished,
7/- doz.


TURNSCREWS.




Nos. D346 & D347

"London" Pattern Turncrews, Polished Handles.

		Length of Blade	3	4	5	6	7	8	9	10	12 ins.
No. D347.	Best Flat Beech Handles, "Mermaid" Brand ...	...	18/-	19/6	22/-	25/-	30/-	36/-	39/-	47/-	65/- doz.
No. D346.	Flat Beech Handles, "Leapfrog" Brand ...	...	16/-	17/6	20/-	23/-	27/-	33/-	36/-	41/-	56/- ..



No. D351




No. D352



Nos. D353 & D354

"London" Pattern Cabinet Turncrews, Polished Handles.

		Length of Blades	3	4	5	6	7	8	9	10	11	12 ins.
No. D351.	Flat Beech Handles, "Mermaid" Brand ...	...	21/-	24/-	28/-	34/-	40/-	45/-	54/-	62/-	70/-	82/- doz.
No. D352.	Best Hand-worked Oval Beech Handles, "Mermaid Brand"	...	23/-	25/-	29/-	31/6	35/6	40/-	50/-	52/-	—	65/- ..
No. D353.	Turned Oval Beech Handles, Bell Hoops, "Mermaid" Brand ...	...	14/6	16/6	20/-	23/-	25/6	30/-	32/6	37/6	—	48/6 ..
No. D354.	Turned Oval Box Handles, Bell Hoops, "Mermaid" Brand ...	...	19/-	21/-	25/-	29/-	33/-	37/-	41/-	46/-	—	60/- ..
No. D353R	Same as D353, but Round Handle	...	—	16/-	19/6	23/-	—	26/-	—	—	—	—



No. D360. Motor or Undertakers' Turncrews, "Mermaid" Brand.

Worked Oval Beech Handles, 2½ in. Blade ... 29/- doz.



No. D359. Polished Beech Handles, as used in Tool Sets.

2 in. Blade	...	17/- doz.
4 in. ..	...	18/- ..



No. D365. Box-opening Turncrews (Registered Pattern) Unbreakable.

6 in. Blade	...	32/- doz.
9 in. ..	...	38/- ..

SPOKESHAVES.



No. D367



No. D369



No. D371

Spokeshaves, "Mermaid" Brand, best quality.

Length of Cutting Edge	...	...	...	...	2½	3	3½	4 inches.
No. D367.	Beech, polished	...	...	...	12/-	14/-	16/-	18/- doz.
No. D369.	Beech, polished and plated	...	...	...	16/-	18/-	21/-	25/- "
No. D371.	Spokeshave Irons, "Mermaid" Brand	...	...	...	5/3	5/9	6/6	7/6 "

SPIRIT LEVELS.

"MERMAID" BRAND.



No. D423



No. D425




No. D456




No. D427

			6	8	9	10	12 inch.
No. D423.	English Pattern, Tipped bottom	...	—	66/-	72/6	79/-	87/- doz.
No. D424.	English Pattern, Plated	..	—	81/-	87/-	94/6	103/6 "
No. D425.	Scotch Pattern, Tipped	..	37/6	46/-	52/-	56/-	62/- "
No. D456.	Boat Shape, with plumb, Tipped bottom	...	42/6	—	62/-	72/-	83/- "
No. D427.	"Mermaid" Brand, Level Tubes, best fine and proved, assorted, 1½ to 4 inch,						6/6 "


MORTICE, MARKING & CUTTING GAUGES.




No. D384.




No. D386.




No. D394.




No. D396.



No. D399.



No. D400.



No. D401.

Mortice Gauges. "Mermaid" Brand, Full Polish.

No. D384.	Rosewood, Improved Split Stem	...	...	...	...	...	...	60/- doz.
No. D386.	,, Brass Slide, Best	...	...	...	...	...	...	92/6 "


Marking Gauges. "Mermaid" Brand, Part Polished, Box Thumbscrews.

No. D394.	Best Beech	...	...	...	...	...	...	27/- "
No. D396.	,, Plated	...	...	...	...	...	...	38/6 "
No. D399.	Beech, Gent's, as supplied in "British Empire" Tool Sets	...	...	...	...	...	...	21/9 "


Cutting Gauges. "Mermaid" Brand, Part Polished, Box Thumbscrews, fitted with S. & J.'s Saw Steel Cutters.

No. D400.	Best Beech, Plain	...	...	...	...	...	...	32/6 "
No. D401.	,, Plated	...	...	...	...	...	...	42/- "


SQUARES AND BEVELS.



No. D406
Rosewood,
Diamond Plated.



No. D407
Rosewood,
Best Plated.



No. D416

Rosewood, Improved Sliding Bevels, with Screw.

"Mermaid" Brand, Polished, Blued Blades, Brass Fittings.

	Length of Blade			4½	6	7½	9	10½	12 ins.
No. D406	...	...	...	19/6	23/6	28/6	33/6	39/-	44/- doz.
No. D407	...	...	...	22/6	26/-	32/-	38/-	43/-	50/- "
No. D416	...	...	...	—	—	32/-	36/-	40/-	44/- "

JOINERS' SCRAPERS.




No. E450. Size 6 × 2½ in. ... 7/6 doz.


4" × 2½" 5" × 2½" 6" × 3"

No. E460. S. & J. Extra Quality, Straw Coloured ... 15/- 16/- 17/- doz.

MALLETs.



No. D376



No. D379

"Mermaid" Brand, Best Seasoned Beech.

		3	4	6	7	8 ins.
No. D376. Carpenters' Square Handle, unpolished	...	—	28/6	49/6	65/6	94/6 doz.
No. D379. Amateurs' (as supplied in "British Empire" Tool Sets)	...	5/-	—	—	—	— "

"BRITISH EMPIRE" TOOL SETS.

We are now able to offer a full range of Tool Sets in our "British Empire" Series. These Sets contain really good tools, warranted English make, and are suitable either for presents, amateurs, or household use.

TOOL SETS FOR BOYS.

REAL TOOLS ARE USED IN THESE SETS.



Nos. 1 & 2 Sets.

No. 1 12 Articles Price 6/6

Booklet	Chisel
Handsaw	Bradawl
Turnscrew	Mallet
Square	Hammer
Gimlet	Liquid Glue
Rule	Box of Nails



Nos. 3 & 4 Sets.

No. 3 21 Articles Price 12/6

Booklet	Pencil
Handsaw	Hammer
2 Turnscrews	Tack Lifter
2 Gimlets	Pliers
Rule	Bradpunch
2 Bradawls	Liquid Glue
Square	Box of Nails
Chisel	Oil-stone
File	Mallet

No. 2 15 Articles Price 8/6

Booklet	Mallet
Handsaw	File
Turnscrew	Pencil
Square	Gimlet
Rule	Hammer
Bradawl	Tack Lifter
Chisel	Liquid Glue
	Box of Nails


No. 4 23 Articles Price 16/6

Booklet	File
Handsaw	Hammer
2 Turnscrews	Tack Lifter
2 Gimlets	Pliers
Rule	Pincers
Bradawl	Plane
Square	Bradpunch
Chisel	Marking Gauge
Mallet	Liquid Glue
Pencil	Box of Nails
	Oil-stone

The above Sets are put up in well-finished Cardboard Boxes with reinforced corners.

TOOL SETS FOR AMATEURS AND HOUSEHOLD USE.

In strong, stained and polished Wood Boxes.



Nos. 4a, 5, 6 & 7 Sets.

No. 4a 21 Articles Price 25/-

Booklet	2 Bradawls	File	Marking Gauge
Handsaw	Rule	Tack Lifter	Liquid Glue
Hammer	Square	Pliers	Pencil
2 Turnscrews	Chisel	Pincers	Oil-stone
Gimlet	Mallet	Bradpunch	


TOOL SETS FOR AMATEURS AND HOUSEHOLD USE—*continued.*

	No. 5	25 Articles	Price 40/-	
Booklet	Marking Gauge	2 Bradawls	Square	
Handsaw	Turnscrew	Brad punch	Pencil	
Hammer	2 Chisels	Marking Awl	Mallet	
Spokeshave	Gouge	File	Liquid Glue	
Pincers	Gimlet	Rasp	Oil-stone	
Pliers	Rule	Plane		
	No. 6	31 Articles	Price 60/-	
Booklet	2 Turnscrews	Pad Saw	Rasp	
Handsaw	2 Chisels	Mallet	Tack Lifter	
Hammer	2 Gimlets	Brad punch	Marking Awl	
Spokeshave	Rule	Liquid Glue	Pencil	
Pincers	2 Bradawls	Square	Plane	
Pliers	Backsaw	2 Files	Oil-stone	
Marking Gauge			Gouge	
	No. 7	35 Articles	Price 80/-	
Booklet	3 Chisels	Mallet	Rasp	
Handsaw	2 Gouges	Marking Awl	Brace	
Hammer	2 Gimlets	Brad punch	3 Bits	
Spokeshave	2 Bradawls	Liquid Glue	Pencil	
Pliers	Backsaw	Square	Plane	
Marking Gauge	Pad Saw	2 Files	Rule	
2 Turnscrews			Oil-stone	

TOOL SETS IN SPECIAL POLISHED OAK CHESTS.

Fitted with Lock and Key. An Ideal Present.


Every Tool in these Sets bears our full warranty.



Nos. 8 & 9 Sets.

	No. 8	39 Articles	Price £5	
Booklet	3 Chisels	Bradpunch	4 Centre Bits	
Handsaw	2 Gouges	Marking Awl	1 Snail Horn Bit	
Hammer	Rule	Liquid Glue	Tack Lifter	
Spokeshave	2 Bradawls	Square	Plane	
Pincers	Backsaw	2 Files	Pencil	
Pliers	Pad Saw	Rasp	2 Gimlets	
Marking Gauge	Mallet	Brace	Hatchet	
Turnscrew			Oil-stone	
	No. 9	50 Articles	Price £10	
Booklet	3 Chisels	Mallet	Brace	
Handsaw	2 Gouges	Marking Awl	Set of 12 Centre Bits	
Hammer	2 Gimlets	Bradpunch	Case Opener	
Spokeshave	Rule	Liquid Glue	Hatchet	
Pincers	2 Bradawls	Square	Spirit Level	
Pliers	Backsaw	Oil-stone	Plane	
Marking Gauge	Pad Saw	2 Files	Pencil	
2 Turnscrews	Oil Can	Rasp	Jack Plane	

TOOL SETS—continued.




	No. 10	56 Articles	Price £12	
Booklet	6 Chisels	Oil Can	Rasp	
Handsaw	3 Gouges	Mallet	Brace	
2 Hammers	3 Gimlets	Marking Awl	Set of 12 Brt. Bits	
Spokeshave	3 Bradawls	Brad punch	Case Opener	
Pincers	Rule	Liquid Glue	Hatchet	
Pliers	Backsaw	Square	Jack Plane	
Marking Gauge	Pad Saw	Oil-stone	Spirit Level	
2 Turn screws	Pencil	2 Files		

NOTE.—The trays in these Chests prevent the smaller Tools from getting to the bottom; the Tools are always handy and can be used and returned without trouble.

FARMERS' TOOL CHESTS.

Designed for heavy usage on Farms, Estates, or in Country Houses. An ideal present for anyone going to the Colonies.


Extra strong Tools in stout stained Wood Chest.



Nos. 11 & 12 Sets.


	No. 11	32 Articles	Price £5/15/-	
Handsaw	2 ft Rule	Pruning Shears	Pincers	
Backsaw	Square	Axe	Spokeshave	
Hammer	Jack Plane	2 Chisels	Brace and 6 Bits	
Agricultural Wrench	Spirit Level	2 Bradawls	2 Files	
Turn screw	Pliers	2 Gimlets	Brick Chisel	
		Gouge	Oil-stone (in Case)	
	No. 12	20 Articles	Price £3/15/-	
Handsaw	2 ft Rule	2 Gimlets	Pliers	
Hammer	Hatchet	Pincers	Square	
Agricultural Wrench	2 Chisels	Spokeshave	Brick Chisel	
Turn screw	2 Bradawls	2 Files	Gouge	

CRAMPS AND VICES.




Improved Joiners' Cramps. Wrought Iron Bar, Malleable Iron Head and Jaw, Black, Bright Steel Screw and Handle.

Length of Bar ...	3	3½	4	4½	5	5½	6	feet.
To take in ...	2' 4"	2' 10"	3' 4"	3' 10"	4' 4"	4' 10"	5' 4"	
No. D525. Bar 2" × ½" ...	45/-	46/6	48/-	49/6	51/-	52/6	54/6	each.
To take in ...	2' 1"	2' 7"	3' 1"	3' 7"	4' 1"	4' 7"	5' 1"	
No. D526. Bar 2½" × ⅝" ...	69/6	72/-	74/-	76/6	79/-	81/-	83/6	,,




Sash Cramps. Fitted with Malleable Iron Fittings, Bright Steel Screw and Handle. Bright Steel Bars, 1½ in. × ¼ in.

Length of Bar ...	...	...	24	30	36	42	inch.
To take in ...	...	...	19	25	31	37	,,
No. D530. Price ...	...	...	19/-	19/6	20/-	20/6	each.



No. D531 T Section Steel Bar Cramp.

3	4	5	6	feet.
39/6	43/-	47/-	51/-	each.



IMPROVED PARALLEL VICE.

Fitted with Steel Detachable Jaws, and Wrought Iron Screws and Handle. These jaws are accurately machined and fitted to gauges, so that parts can be replaced when required.

Size No. ...	0	1	2	3	4	5	6	
Width of Jaw ...	2½	3	3½	4	4½	5	6	inch.
Depth of Jaw ...	1½	1¾	2½	2¾	3	3½	3½	,,
Opening ...	2½	3¼	4	4¾	5½	6½	8	,,
Weight ...	7	12	20	30	40	56	72	lbs.
No. D814. Price ...	18/6	22/-	30/-	40/-	50/-	65/-	79/6	each.



No. D982.

TINMEN'S SNIPS.



No. D983.


SOLID STEEL.

					7	8	9	10	inch.
No. D982.	...	...	...	...	45/-	49/6	60/-	67/-	doz.
No. D983. Bent	...	...	...	...	67/-	79/6	84/6	94/6	„

PLASTERERS' & BRICKLAYERS' TROWELS.




No. D1108



No. D1109


11 ins.

No. D1108	Plasterers', Cast Steel, to 4¼ in. wide	...	...	...	...	...	...	...	91/- doz.
No. D1109	„ „ double hang	...	...	...	...	...	...	...	112/- „



No. D1118

Masons', Cast Steel.



No. D1119

Masons', London Brick, Capped.

					9	9½	10	10½	11	12 ins.
No. D1118	Masons'	...	...	...	69/-	72/-	75/-	79/-	83/-	90/- doz.
No. D1119	London Brick	...	...	...	72/-	76/-	79/-	83/-	86/-	114/- „



No. D1121

Gauging Pattern, Cast Steel.



No. D1122

Pointing Pattern, Cast Steel.

					5	5½	6	6½	7	7½	8 ins.
No. D1121	Gauging Trowels	...	...	...	56/-	56/-	56/-	59/-	62/-	65/-	68/- doz.
No. D1122	Pointing „	...	...	...	42/-	42/-	42/-	45/-	49/-	52/-	55/- „

"NEVERBEND" SHOVELS.




Fig. 6

Fig. 6 shows how we test "NEVERBEND" Round Nose Shovels, and
Fig. 7 a shovel after test.




Fig. 7




Fig. 8

Fig. 8 shows an ordinary shovel after test.

"Neverbend" shovels wear evenly and keep a good edge, the other sort wear any way and all turned up and three times the work to shovel with.



NEVERBEND.



ORDINARY SHOVEL.

From actual photographs—after approximately the same amount of work.

"Neverbend" Steel is so much better that thinner plates can be used and they weigh (medium size) about half a pound less—a fact greatly appreciated by the workmen, and tending to more work being done—and yet have a 50% to 100% longer life than ordinary grades.

Look for this mark:


Neverbend
SPEAR & JACKSON

"NEVERBEND" SHOVELS.



No. C3. Square Mouth.


Ballast or Firing Shovels.
S. & J.'s improved open
socket, self-colour.



No. C4. Round Mouth.

S. & J.'s "Mermaid" Brand,
Nos. C3 & C4.


Sizes ...	1	2	3	4	5	6	7	8	9	10
Square mouth...	12×9½	12½×10	13×10½	13½×11	14×11½	14½×12	15×12½	15½×13	16×13½	16½×14 in.
Round ..	12×10	12½×10½	13×11	13½×11½	14×12	14½×12½	15×13	15½×13½	16×14	16½×14½ ..
T Handles ...	47/-	48/-	50/-	52/-	54/-	56/-	59/-	62/-	65/-	68/- doz.
T Clasped ...	52/-	53/-	55/-	57/-	59/-	61/-	64/-	67/-	70/-	73/- ..
Riveted D	59/-	60/-	62/-	64/-	66/-	68/-	71/-	74/-	77/-	80/- ..
Long Handles }										



No. C900 and No. C902

Solid Strapped Shovels.

S. & J.'s "Mermaid" Brand,
self colour, 26" or 28" extra
quality Ash Handles.



No. C901 and No. C903

				Size	1	2	3	4	5
				Square mouth—Length and width	12×9½	12½×10	13×10½	13½×11	14×11½ ins.
				Round ..	—	12½×10½	13×11	13½×11½	14×12 ..
No. C900	London pattern	Sq.	Nose, 26" D H'dle	{ 10" Straps, 2 Rivets, with third Rivet in Cofer, 2 Side Rivets }	82/-	85/6	85/6	87/6	92/6 doz.
No. C901	"	Rd.	" 26" "						
No. C902	Navvy	Sq.	" 28" "						
No. C903	"	Rd.	" 28" "						
No. C9	"	Sq.	" 28" "	{ 12" Straps, 1	93/-	98/-	102/-	107/-	111/- ..
No. C10	"	Rd.	" 28" "	{ 3 Rivets, }					
T Handles:—26" or 28", 12/- doz. less; over 28" and up to 32", 9/- doz. less; 36", 6/- doz. less; 42", 5/- doz. less.									




No. C18

Moulders' Shovels.

Solid strapped.
S. & J.'s "Mermaid" Brand,
quarter bright, extra quality
ash handles, 28in.
12in. straps, 3 Rivets.

		Size	...	...	...	00	0	1	2
		Length × width	...	...	...	11×8½	11½×9	12×9½	12½×10 in.
No. C18	Clasped T Handles	...	...	...	...	101/-	101/-	104/-	110/- doz.
Ordinary T Handles, 5/- doz. less.									


"NEVERBEND" SHOVELS.



No. C11.


Riveted Ballast
or
Firing Shovels.
S. & J.'s "Mermaid"
Brand.

Self-colour, extra quality
ash handles, 28 in.
Round or square mouth.



No. C12.

Size Nos. ...	1	2	3	4	5	6
Square mouth, length x width ...	12 x 9½	12½ x 10	13 x 10½	13½ x 11	14 x 11½	14½ x 12 in.
Round " " x " " ...	—	12½ x 10½	13 x 11	13½ x 11½	14 x 12	14½ x 12½ "
No. C11 & C12—T Handles ...	63/-	65/-	66/-	68/-	70/-	73/- doz.
" " T Clasped ...	68/-	70/-	71/-	73/-	75/-	78/- "
" " Riveted D ...	75/-	77/-	78/-	80/-	82/-	85/- "




No. C39

Irish Pattern Shovels. S. & J.'s Improved Open Socket, self colour, round nose.

	4 ft. Handles		4½ ft. Handles.	
	13½ x 9½	14½ x 10	13½ x 9½	14½ x 10 ins.
No. C39. S. & J.'s "Leapfrog" Brand, stout Handles ...	72/-	75/-	76/-	79/- doz.

Open Socket Loco Firing Shovels.

S. & J.'s "Leapfrog" Brand,
self colour,
Length of Handle, 22"
T Clasped.



No. C46

No. C46 S. & J.'s "Leapfrog" Brand, rolled sheet steel ...

Nos.	1	2	3
...	91/-	93/-	95/- doz.



No. C112

Solid Neck, Strapped Shovels.

S. & J.'s "Mermaid"
Brand.
Extra quality, Ash handles.

No. C111. Square Mouth. }	No. C112. Round " }	Nos.	2	3	4
		Length x width	12½ x 10	13 x 10½	13½ x 11 ins.
			91/-	93/-	95/- doz.

“NEVERBEND” SAW STEEL SPADES.



Fig. 2.




Fig. 1.



Fig. 3.

STRENGTH.

Fig. 1 shows the test which can be applied to “NEVERBEND” Spades by pressing the hand upwards towards the door. After test the spades are quite straight, as Fig. 2, but ordinary spades become bent as Fig. 3.

LIGHTNESS.

So strong are “NEVERBEND” Spades that we are able now to make them $\frac{1}{2}$ -lb. lighter than our old pattern, and the average run of other spades.

Now an ordinary digger makes about 12 strokes per minute. The saving in weight lifted per day of 8 hours is:

$$\frac{1}{2} \times 12 \times 60 \times 8 = 2,880 \text{ lbs.}$$

A saving of over **1½ Tons** lifted per day!!

That is not all, the saving in exertion of forcing the thinner blade into the ground is also very considerable.

WEARING PROPERTIES.


“NEVERBEND” blades are made of Saw Steel, and therefore keep their edge better and last longer before they are worn out. They will take an edge like a razor and are incomparable for cutting through roots, &c.

Look for this mark:

Neverbend
SPEAR & JACKSON

"NEVERBEND" GARDEN SPADES.

No. C130. Strapped Spades, S. & J.'s "Mermaid" Brand, extra quality Ash Handles, Light Spade, 10" Straps, 2 Rivets, Quarter Bright.



Size	T Handles, 28 or 30 inch.			
	0	1	2	3
Length × width	11 × 6½	11½ × 7	12 × 7½	12½ × 8
Price	76/6	79/6	84/6	88/6

Riveted D Handles, 28 or 30 inch.			
0	1	2	3
11 × 6½	11½ × 7	12 × 7½	12½ × 8
88/6	91/6	96/6	100/6 doz.



No. C132. Strapped Medium Strong Pattern, S. & J.'s "Mermaid" Brand, extra Quality Ash Handles, 12" Straps, 3 Rivets.

Size	T Handles, 28 or 30 inch.			
	0	1	2	3
Length × width	11 × 6½	11½ × 7	12 × 7½	12½ × 8
No. C132 Half Bright	91/6	94/6	99/6	103/6
No. C133 All Bright	114/-	117/-	122/-	126/-

Riveted D Handles, 28 or 30 inch.			
0	1	2	3
11 × 6½	11½ × 7	12 × 7½	12½ × 8
103/6	106/6	111/6	115/6 doz.
126/-	129/-	134/-	138/- ..

Flat Treaded, 4/6 doz. extra. 8 Side Strap Treaded, 7/6 doz. extra.


S. & J.'s "Mermaid" Brand, strapped, extra strong, extra quality ash handles.



No. C137. Nurseryman's and Railway Pattern.

Length of handles, 28 in.		Size Nos.		1	2	3
straps, 18 in. (4 rivets).		Length × width		11½ × 7	12 × 7½	12½ × 8 inch.
No. C137	Quarter bright, T Handles	...	...	95/-	98/-	101/- doz.
.. C138	Half " T "	...	...	110/-	113/-	116/- ..
.. C139	All " T "	...	...	132/-	133/-	138/- ..

Flat Treads, 4/6 doz. extra. Side strap treads, 7/6 doz. extra. D handles, 12/- doz. extra.



No. C256. Solid Neck, Strapd., S. & J.'s "Mermaid" Brand, extra quality ash handles.

Length of handles, 28 in.		Size Nos.		0	1	2	3
straps, 12 in. (3 rivets).		Length × width		11 × 7	11½ × 7½	12 × 8	12½ × 8½ inch.
No. C256	Half Bright, riv. D handles	...	...	121/-	121/-	125/6	130/- doz.
.. C257	All " D "	...	...	141/6	141/6	146/-	150/6 ..


T Handles, 12/- per doz. less.

SPECIAL NOTE.—"All Bright" Spades have special quality waxed handles and highly polished blades.

"NEVERBEND" SPADES (continued).

Gloucester Pattern.


S. & J.'s "Mermaid" Brand, solid neck, strapd., extra quality ash handles.
Straps, 12 inch, three rivets.



No. C173 and No. C174

(Not ribbed at neck.)


		Size Nos. Length x width	0 11 x 6½	1 11½ x 7	2 12 x 7½	3 12½ x 8 inch.
No. C173	Half Bright, Oval T Handles, 32 inch.	...	117/-	117/-	120/-	123/- doz.
No. C174	All Bright, " " " "	...	139/6	139/6	142/6	145/6 "



No. C152 Open socket. S. & J.'s "Mermaid" Brand, rolled sheet steel (12-gauge plates), best ash handles.

Length of handles, 28 in.		Size Nos. Length x width	00 10½ x 6	0 11 x 6½	1 11½ x 7	2 12 x 7½ inch.
No. C152	Quarter bright, D handles	...	63/-	63/-	64/-	65/- doz.

T Handles, 12/- doz. less.



No. C156. London Pattern. S. & J.'s "Mermaid" Brand, Strong Pattern, Solid Strapped, extra quality Ash Handles, Flat Treads, 12" Straps, 3 Rivets.

	Size	T Handles, 28 inch.				Riveted D Handles, 28 inch.			
		0 11 x 6½	1 11½ x 7	2 12 x 7½	3 12 x 8	0 11 x 6½	1 11½ x 7	2 12 x 7½	3 12 x 8 ins.
No. C156	Quarter Bright	85/6	88/6	93/6	97/6	97/6	100/6	105/6	109/6 doz.
No. C260	All Bright...	118/6	121/6	126/6	130/6	130/6	133/6	138/6	142/6 "

Side Strap Treads, 3/- doz. extra.




No. C160A. Scotch Pattern. S. & J.'s "Mermaid" Brand, Solid Strapped, extra quality Ash Handles, Flat Tread, not Ribbed, 12" Straps, 3 Rivets.

	Size	Oval T Handles, 28 inch.				Riveted D Handles, 28 inch.			
		1 11½ x 7½ x 7½	2 11¾ x 7¾ x 7¾	3 12½ x 8 x 7¾	4 13 x 8½ x 8½	1 11½ x 7½ x 7½	2 11¾ x 7¾ x 7¾	3 12½ x 8 x 7¾	4 13 x 8½ x 8½ ins.
No. C160A.	Strong Scotch pattn.,								
	Half Bright	95/-	100/-	102/-	105/6	107/-	112/-	114/-	117/6 doz.
No. C161A.	Strong Scotch pattn.,								
	All Bright	115/-	120/-	125/-	131/-	127/-	132/-	137/-	143/- "

SPECIAL NOTE.—"All Bright" Spades have special quality waxed handles and highly polished blades.

"NEVERBEND" SPADES (continued)



No. C158. Norfolk Pattern. S. & J.'s "Mermaid" Brand, Solid Strapped, extra quality Ash Handles with Notched Straps 12", 3 Rivets.

	Size Nos. Length x width at top and bottom	0	1	2	3
		11 x 7 x 6	11½ x 7½ x 6½	12 x 8 x 7	12 x 8½ x 7½ inch.
No. C157. Half Bright, Riveted D Handles	...	123/-	126/-	129/-	134/- dozen.
No. C158. All Bright, Riveted D Handles...	...	145/6	148/6	151/6	156/6 "



No. C166.

Lancashire and Cheshire Pattern.


S. & J.'s "Mermaid" Brand, lip socket, extra quality Ash Handles.

	Length of handles, 28in.	Size Nos. Length x width	0	1	2	3
			11 x 7½	11½ x 8	12 x 8½	12½ x 9 in.
No. C164. Half Bright, T Handles, Round Mouth	...	}	120/-	120/-	125/-	129/- doz.
No. C165. " " T Handles, Square Mouth	...					
No. C166. All Bright, T Handles, Round Mouth	...					
No. C167. " " T Handles, Square Mouth	...					
			142/6	142/6	147/6	151/6 "

No. C169.

Ormskirk Pattern.

S. & J.'s "Mermaid" Brand, lip socket, extra quality Ash handles.



	Length of handles, 28in.	Size Nos. Length x width	0	1	2	3
			11 x 7½	11½ x 8	12 x 8½	12½ x 9 in.
No. C168. Half Bright, T Handles, Round Mouth	...	...	120/-	120/-	125/-	129/- doz.
No. C169. All Bright, T Handles, Round Mouth	...	...	142/6	142/6	147/6	151/6 "

No. C162.

Yorkshire Pattern.

S. & J.'s "Mermaid" Brand, lip socket, extra quality Ash Handles.



	Size Nos. Length x width	T Handles, 28 in.				Riveted D Handles, 28 in.			
		1	2	3		0	1	2	3
		11 x 6½	11½ x 7	12 x 7½	12½ x 8	11 x 6½	11½ x 7	12 x 7½	12½ x 8 ins.
No. C162. Half Bright	...	115/6	115/6	120/-	124/6	127/6	127/6	132/-	136/6 doz.
No. C163. All Bright	...	138/-	138/-	142/6	147/-	150/-	150/-	154/6	159/- "


SPECIAL NOTE.—"All Bright" Spades have special quality waxed handles and highly polished blades.

No. C183.

No. C183.

Size Nos.	1	2	3	4
Length $\times$ width at top and bottom	$12\frac{1}{2} \times 6 \times 5$	$13 \times 6\frac{1}{2} \times 5\frac{1}{2}$	$13\frac{1}{2} \times 7 \times 6$	$14 \times 7\frac{1}{2} \times 6\frac{1}{2}$ in.

Straight Handles same price as bent.



Length $\times$ width $11\frac{1}{2} \times 7\frac{1}{2}$ 12×8
Size No. 1, **95/-** doz Size No. 2, **97/-** doz.



No. C266.

T Handles.

Size Nos.	0	1
Length x width	6 x 4	7 x 4½ inch.

No. C266.	Self Colour	...	...	...	...	...	...	26/6	27/- doz.
No. C265.	Bright and Blue...	...	...	...	...	...	...	29/6	30/- „


S. & J. "Neverbend Quality. No. C227.



		T Handles.		Riveted D Handles.	
		1	2	1	2
Size Nos.		9 × 5½	9½ × 6	9 × 5½	9½ × 6 inch
Length × width					
No. C227.	Bright and Red, with Polished Handle ...	87/-	88/-	99/-	100/- doz.
No. C231.	Self Colour, „ Unpolished „ ...	75/-	77/-	87/-	89/- „

SPECIAL NOTE.—"All Bright" Spades have special quality waxed handles, and highly polished blades.


"NEVERBEND" SPADES (continued).



No. C195 Clay Spades.

S. & J.'s "Mermaid"
Brand, solid strapped,
parallel, extra quality ash
28" T handles.

Length of handles, 28 in.		Size Nos.	00	0	1	2	3
		Length x width	11½ x 5¼	12 x 5½	12½ x 6	13 x 6½	13½ x 7 inch.
No. C194	Light Pattern, 10" Straps, 2 Rivets, Quarter Bright		86/-	86/-	86/-	89/-	92/- doz.
No. C195	Strong ,, 12" ,, 3 ,, ,, Riveted D Handles, 28", 12/- doz. extra.		98/-	98/-	98/-	101/-	104/- ,,



No. C206

S. & J.'s "Mermaid" Brand, Solid Socket, Parallel, extra quality Ash 28" T Handles.

		Size Nos. ...	1	2
		Length × Width	12½ × 5½	13 × 6½ inch.
No. C206	Strong Pattern, Quarter Bright, Tapered Blades	...	123/-	126/- doz.
	T Handles, 30" or 32" out, 3/- dozen extra. Riveted D Handles, 28", 12/- doz. extra.			



No. C188. Draining Tools, S. & J.'s "Mermaid" Brand, Solid Strapped, extra quality Ash Handles, 28" Riveted D Handles, Straps 12", 3 Rivets.

			Size Nos....	...	1	2	3	4
			Length × Width.		5 $\frac{1}{4}$ " × 3 $\frac{1}{4}$ " × 15"	5 $\frac{1}{2}$ " × 3 $\frac{1}{2}$ " × 16"	5 $\frac{3}{4}$ " × 3 $\frac{3}{4}$ " × 17"	6" × 4" × 18"
No. C188.	Half Bright	...	...	...	138/-	143/-	147/-	152/- doz.



No. C191 Solid extra long Socket, Riveted D Handles.

[illegible]

SPECIAL NOTE.—"All Bright" Spades have special quality waxed handles and highly polished blades.

"NEVERBEND" SAW STEEL FORKS.



Fig. 4.



Fig. 5.

Fig. 4 shows an ordinary fork after being tried in our special testing machine.

Fig. 5 shows a "NEVERBEND" Fork after the same test.

"NEVERBEND" Forks are harder as well as better temper than others, and consequently *last much longer before they are worn out.*

Look for this mark:

"Neverbend"
SPEAR & JACKSON

"NEVERBEND" DIGGING FORKS.



No. C298. **Solid Strapped.** S. & J.'s "Mermaid" Brand, extra quality Ash Handles.

		30 in. T Handles.		Riveted D Handles.	
Square Prongs.					
		4	5	4	5
		13 × 8	13 × 9	13 × 8	13 × 9 inch.
No. C298.	12 in. Straps, 3 Rivets, self colour	82/-	96/-	94/-	108/- doz.
No. C375.	" " half bright and red	92/-	108/-	104/-	120/- "
No. C376.	" " all bright and red	101/-	119/-	113/-	131/- "

No. C410. **EXTRA STRONG DIGGING FORKS**, forged from the solid bar **WITHOUT WELD**, made in two of above finishes, at 10/- per doz. extra **Nett** over Patterns C298 & C375, on prices of the Welded Strapped Forks.



No. C300. **Solid Strapped**, John Cockerill's "Ætna" Brand (not Neverbend quality), good Ash Handles.

		29 in. T Handles.		Riveted D Handles.	
Square Prongs.					
		4	5	4	5
		13 × 8	13 × 9	13 × 8	13 × 9 inch.
No. C300.	12 in. Straps, 3 Rivets, self colour	79/-	93/-	88/-	102/- doz.
	Length × Width	12 × 7½	12½ × 8½	12 × 7½	12½ × 8½ inch.
No. C300/2	Light Digging Fork for Amateurs, 10" strips, 2 Rivets, self colour	75/-	89/-	84/-	88/- doz.




LIGHT DIGGING FORKS FOR AMATEURS.

		30 in. T handles.		30 in. riveted D handles.	
		4	5	4	5
		12 × 7½	12½ × 8½	12 × 7½	12½ × 8½ inch.
No. 298/2.	10 in. Straps, 2 Rivets, self colour	76/-	90/-	88/-	102/- doz.
No. 375/2.	" " half bright and blue	86/-	102/-	98/-	114/- "
No. 376/2.	" " all bright and red	94/-	112/-	106/-	124/- "

"NEVERBEND"

BORDER FORKS.



No. C305.

No. C384. **Solid Strapped.** S. & J.'s "Mermaid" Brand, 4 prongs, extra quality Ash Handles. 8


		T Handles.			Riveted D Handles.		
Size Nos.		1	2	3	1	2	3
Length × Width		7 × 4½	9 × 5½	11 × 7	7 × 4½	9 × 5½	11 × 7 inch.
No. C307.	Self colour	63/-	65/-	71/-	72/-	74/-	80/- doz.
No. C384.	Half bright & red, Polished Handles	69/-	71/-	77/-	78/-	80/-	86/- "
No. C387.	John Cockerill quality, self colour, (not Neverbend quality)	61/6	63/6	69/6	69/-	71/-	77/- "
No. C417.	S. & J. quality Border Fork, 9 × 6 inch., Flat Prongs, extra quality Ash T Handles, 64/- doz. Riveted D Handles, 9/- doz. extra over T Handles.						
No. C305.	Twisted Prongs, bright and red, Polished Handles, 5 × 3 × 31½ in. over all, T Handles, 40/- Riveted D Handles, 9/- doz. extra over T Handles.						

"NEVERBEND" POTATO FORKS.



Nos. C309 and C311. Solid Strapped. S. & J.'s "Mermaid" Brand, extra quality Ash Handles.

		30 in. T Handles.		30 in. Riveted D Handles.	
		4	5	4	5
	Number of Prongs ...	4	5	4	5
	Length × width ...	11½ × 8	12 × 9	11½ × 8	12 × 9 in.
No. C309.	Flat Prongs, pointed self colour ...	87/-	106/-	99/-	118/- doz.
No. C391.	"John Cockerill" quality, self colour, (not "Neverbend" quality) ...	85/6	104/6	94/6	113/6 ..
No. C311.	Ridged Back Prongs, pointed, self colour ...	96/-	122/-	108/-	134/- ..
No. C312.	" " bright on face & red ...	109/-	137/-	121/-	149/- ..



No. C314. **Lincolnshire Pattern.** Solid Strapped. S. & J.'s "Mermaid" Brand, extra quality Ash Handles (T, 32in.)


No. C313.	Ridged Back Prongs, self-colour, 4 prongs, 11" × 7½"	...	...	...	88/- doz.
No. C314.	" " bright on face and red, 4 prongs, 11" × 7½"	...	...	...	100/- ..



No. C315.

Kent Pattern. S. & J.'s "Mermaid" Brand, extra quality Ash Handles (27" riveted D).

		3		4		5
		3	2	3	4	
	Size Nos. ...	3	2	3	4	
	Length and Width	13½" × 9"	12½" × 8½"	13½" × 9"	13½" × 9½"	
No. C316.	"S. & J." quality, Flat Prongs, pointed, self-colour, Socket Strap, Extra Strong Handles	—	128/-	134/-	—	doz.
No. C315.	"S. & J." quality, Ordinary Strapped, Flat Prongs, pointed, self-colour	96/6	105/6	110/-	126/6	"
No. C404.	Similar to C315, but ridged back	104/6	114/-	118/-	135/-	"
No. C315A.	As C315, but straight prongs, in 4 prongs only	—	105/6	110/-	—	"
No. C405.	Asparagus Forks. 13½" × 10., 27" D Handles, similar in appearance to No. C315.					
	Ordinary Strapped, 118/- doz. Socket Strapped, 139/- doz.					



No. C317,

Scotch Pattern. Solid Strapped, S. & J.'s "Mermaid" Brand, extra quality Ash Handles, 30" T.

		3		4
		3	2	4
	Number of Prongs	3	2	4
	Length and Width	12" × 7"	11½" × 8	
No. C317.	Ridged Back Prongs, points rounded, self-colour	83/-	96/-	doz.
No. C318.	" " bright on face and blue	97/-	109/-	"
	D Handles, 12/- doz. extra.			

"NEVERBEND" FORKS.



No. C323


Lancashire and Cheshire Pattern Potato Forks, Solid Strapped, Spear & Jackson's quality, Best Ash Handles, 26½" T Handles.

No. C323	Self Colour, Square Prongs (edges off) 11½" × 7½", 4 Prongs	...	...	...	72/- doz.
No. C324	" " " " Oval " " 11½" × 7½", 4 Prongs	...	...	...	74/- "


Lichfield Pattern, Solid Strapped, John Cockerill's "Ætna" brand (not "Neverbend" quality), good Ash Handle, 28" T.

No. C325	Square Prongs (edges off), self colour...	Length × width 11½" × 7½"	4 Prong, 75/-	...	5 Prong, 12 × 8½ in. 90/- doz.
No. C326	Oval " " self colour	...	78/-	...	93/- "
D Handles, 9/- doz. extra.					

TURNIP OR ROOT LOADING FORKS.



No. C328




No. C396

Solid Strapped. S. & J.'s "Mermaid" Brand, extra quality Ash T Handles.

No. C328	Square Prongs	...	...	...	5 Prong, 168/-	...	6 Prong, 196/6 doz.
No. C329	Round " "	...	...	...	" 183/-	...	" 208/6 "
No. C396	Scotch pattern Loading Forks, Oval T	...	10	" 216/-	...	12	" 267/- "

"NEVERBEND" COKE FORKS.




Nos. C364 & C365

Solid Strapped, S. & J.'s "Mermaid" Brand, extra quality Ash Handles.

Prices on application.


"NEVERBEND" STONE FORKS.



No. C122 Solid Strapped, S. & J.'s "Mermaid" Brand, extra quality Ash Handles (T clasped).

Prices on application.

POTATO GRATES.




No. C327

Welded Socket, S. & J.'s "Mermaid" Brand, extra quality Ash T Handles.
(not "Neverbend" quality).

	6	8	10	inside bars.
Round Bars, self colour	147/-	166/-	190/-	doz.

"NEVERBEND" MANURE FORKS.




Nos. C330 and C331.

Solid Strapped. S. & J.'s "Mermaid" Brand, extra quality Ash Handles, Oval Prongs, extra finish.

Number of Prongs	...	...	...	32" T Handles.					4 foot Knob Handles.				
				4	5	6			4	5	6		
Size Nos.	...	...	...	2	3	4	3	3	2	3	4	3	3
Length x Width	...	...	...	12½ x 8½	13 x 9½	14 x 10½	13½ x 10	14 x 11	12½ x 8½	13 x 9½	14 x 10½	13½ x 10	14 x 11 inches
C 330.	All bright and red	...	...	94/-	96/-	110/-	118/-	155/-	101/6	103/6	117/6	125/6	162/6 doz.
C 331.	" " " blue	...	...	87/-	92/-	101/-	111/-	146/-	94/6	99/6	108/6	118/6	153/6 "


If with Metal D Handle, 13/- doz. extra on T Handle prices.



No. C332

Solid Strapped. John Cockerill's "Ætna" Brand (not "Neverbend" quality), good Ash Handles, Oval Prongs.

Number of Prongs	...	...	...	32" T Handles.			4 foot Knob Handles.			Metal D. Handles.		
				4	4	5	4	4	5	4	4	5
Length x Width	...	...	...	12½ x 8½	13 x 9½	13½ x 10	12½ x 8½	13 x 9½	13½ x 10	12½ x 8½	13 x 9½	13½ x 10 inch
C 332.	½ bright and red	...	...	85/-	85/-	104/-	90/6	92/6	111/6	96/-	98/-	117/- doz.



Nos. C334 and C335

Solid Strapped. S. & J.'s "Mermaid" Brand, Square Prongs, extra Ash Handles.


Number of Prongs	...	...	...	32" T Handles.			4 foot Knob Handles.			Riveted D Handles.		
				4	4	5	4	4	5	4	4	5
Length x Width	...	...	...	12½ x 8½	13 x 9½	13½ x 10	12½ x 8½	13 x 9½	13½ x 10	12½ x 8½	13 x 9½	13½ x 10 in
C 334.	Self colour	...	...	76/-	78/-	95/-	83/6	85/6	100/6	88/-	90/-	105/- dz.
C 335.	All bright and red	...	...	97/-	99/-	119/-	104/6	106/6	126/6	109/-	111/-	131/- "



Nos. C339 and C338.

Ormskirk Pattern, solid strapped, S. & J.'s "Mermaid" Brand, extra quality ash handles (T).

No.		...	...	...	32 in. T handles, 4 Prongs.					
					14 x 10½	15 x 11	16 x 11½ inch.			
No. C338.	Square Prongs, self colour	...	...	...	81/-	86/-	93/- dozen.			
No. C339.	Oval Prongs, all bright and red	...	...	...	110/-	116/-	124/- "			

"NEVERBEND" MANURE FORKS (*continued*).**No. C340.**


Lincolnshire Pattern, solid strapped, S. & J.'s "Mermaid" Brand, extra quality Ash handles
(T Handles bent as shown).

Number of Prongs	32 in. T handles.				4 ft. Knob Handles.				Metal D Handles.			
	4	4	5	6	4	4	5	6	4	4	5	6
Length and width	$12\frac{1}{2} \times 8\frac{1}{2}$	$13 \times 9\frac{1}{2}$	$13\frac{1}{2} \times 10$	14×11	$12\frac{1}{2} \times 8\frac{1}{2}$	$13 \times 9\frac{1}{2}$	$13\frac{1}{2} \times 10$	14×11	$12\frac{1}{2} \times 8\frac{1}{2}$	$13 \times 9\frac{1}{2}$	$13\frac{1}{2} \times 10$	14×11 inch.
No. C340 ...	87/-	92/-	111/-	146/-	94/6	99/6	118/6	153/6	100/-	105/-	124/-	159/- doz.

**Nos. C341 and C342.**


Scotch and North of England Pattern, solid strapped, S. & J.'s "Mermaid" Brand,
extra quality Ash handles (oval T).

	32 in. T handles.	Number of Prongs	Length and width	4	5	5	6
				$14 \times 10\frac{1}{2}$	15×12	15×14	16×14 inch.
No. C341. Oval Prongs, all bright and blue ...				101/-	131/-	138/-	170/- dozen.
No. C342. " " " " and red ...				110/-	139/-	147/-	178/- "

**Nos. C343 and C344.**

Glasgow Pattern, solid strapped, S. & J.'s "Mermaid" Brand, extra quality Ash handles (Scotch T).

	Length of handles, 30 in.	Number of Prongs	Length and width	4	5	6
				$14 \times 9\frac{1}{2}$	$14\frac{1}{2} \times 10\frac{1}{2}$	$14\frac{1}{2} \times 11\frac{1}{2}$ inch.
No. C343. Round Prongs, self colour...				102/-	120/-	155/- dozen.
No. C344. " " " bright and blue ...				113/-	135/-	170/- "

**Nos. C345, C346 and C347.**

Forfar Pattern, solid strapped. S. & J.'s "Mermaid" Brand, extra quality Ash handles (Scotch T).

	32 in. T handles.	Number of Prongs	Length and width	4	4	5	5	6
				14×11	$15 \times 11\frac{1}{2}$	$14\frac{1}{2} \times 12$	$15\frac{1}{2} \times 13$	16×14 inch.
No. C345. Square Prongs, self colour...				90/-	96/-	119/-	126/-	146/- doz.
No. C346. $\frac{1}{2}$ oval, $\frac{1}{2}$ square, $\frac{1}{2}$ bright and blued				105/-	110/-	134/-	143/-	176/- "
No. C347. Oval Prongs, all bright and blued				105/-	110/-	134/-	143/-	176/- "

MANURE FORKS.


"NEVERBEND" IRISH PATTERN.



No. C400. S. & J.'s "Mermaid" Brand, extra quality Ash Handles.

No. C400. 4 Prongs, bright and blue, size $13 \times 9\frac{1}{2}$ inch. ... 32" T Handles. 4 ft. Handles.
... 100/- 108/- doz.


MANURE DRAGS.



Nos. C357 and C358

Manure Drags, strong pattern. S. & J.'s "Mermaid" Brand, extra quality Ash Handles.


	Length of handles, 6 ft.	Prongs Length × width	3	4	5
			$11 \times 7\frac{1}{2}$	$11\frac{1}{2} \times 8\frac{1}{2}$	$11\frac{1}{2} \times 9\frac{1}{2}$ inch.
No. C357. Oval prongs, bright and blue	...	...	130/6	135/-	156/- doz.
No. C358. Square prongs, self colour	...	...	120/-	123/-	141/- ..



Nos. C360 and C361.

Potato or Strawberry Drags, solid strapped, S. & J.'s "Mermaid" Brand, extra quality Ash Handles.

	Length of handles, 5 ft.	Prongs Length and Width	3	4	5
			$6\frac{1}{2} \times 5\frac{1}{2}$	7×6	$7\frac{1}{2} \times 6\frac{1}{2}$ inch.
No. C360. Ridged back prongs, self colour	...	...	110/6	115/-	136/6 doz.
No. C361. Oval prongs, bright and red	...	...	...	...	...




No. C362

North of England Pattern Filling Drags, solid strapped, S. & J.'s "Mermaid" Brand, extra quality Ash Handles (5 ft.)

No. C362. Round Prongs, self colour, 4 prongs only, 13×11 in. ... 138/- doz.

GARDEN TOOL SETS.




Polished handles, bright and red.

No. 11 T handle, without Trowel and Weed Fork, 11/- set.

No. 011 T " with " " " " 13/9 "

Dimensions: Spade, 6×4 in.; fork, 5×3 in.; hoe, 4 in.; rake, 6 teeth;
trowel, 6 in.; weed fork, 4 prong.
Length over all: Spade and fork, 31½ in.; rake and hoe, 35 in.




Polished handles, bright and red.

No. 12 T handle, without Trowel and Weed Fork, 12/6 set.

No. 012 T " with " " " " 15/3 "

Dimensions: Spade and Fork, 7×4½ in.; hoe, 5 in.; rake, 8 teeth;
trowel, 6 in.; weed fork, 4 prong.
Length over all: Spade and fork, 35 in.; rake and hoe, 42 in.



Polished handles, bright and red.

No. 13T T handle, without Trowel and Weed Fork, 16/6 per set

No. 13D D " " " " " 18/-


No. 013T T " with " " " " 19/6

No. 013D D " " " " " 21/-

No. 15T. Without Trowel and Weed Fork, self-colour, T Handles ... 14/-

No. 15D. Do. do. but with D Handles 15/6

Dimensions: Spade and Fork, 9×5½ in.; hoe, 5 in.; rake, 8 teeth
trowel, 6 in.; weed fork, 5×3 in.
Length over all: Spade and fork, 37 in.; rake and hoe, 50 in.



Polished handles, bright and red.

No. 14T T handle, without Trowel and Weed Fork, 21/- per set

No. 14D D " " " " " 22/6


No. 014T T " with " " " " 24/-

No. 014D D " " " " " 25/6

Dimensions: Spade and fork, 9½×6 in.; hoe, 6 in.; rake, 10 teeth;
trowel, 6 in.; weed fork, 5×3 in.
Length over all: Spade and fork, 40 in. rake and hoe, 56 in.


ALL SETS ARE NEATLY TIED IN BUNDLES FOR WINDOW DISPLAY.

"NEVERBEND" HAY FORKS.




No. C478. Two Prong, usual sizes, all bright.

No. C480. Three Prong, bright and blue.




Strapped. Extra quality and finish. S. & J.'s "Mermaid" Brand, Waxed Ash Handles, extra quality.

	10" x 4'	11" x 4½'	12" x 5'	13" x 5½'	13" x 6'	13" x 6½'	14" x 7'	14" x 7½'	16" x 8'
No. C478.	69/-	75/-	79/-	87/-	93/-	105/-	117/-	129/-	146/- doz.
No. C480.	86/-	90/-	98/-	107/-	113/-	125/-	140/-	—	— „




No. C482. Two Prong.

No. C483. Three Prong.



Strapped. Medium quality, bright and blue, S. & J.'s "Leapfrog" Brand, Best Ash Handles.


	10" x 4'	11" x 4½'	12" x 5'	13" x 5½'	13" x 6'	13" x 6½'	14" x 7'	14" x 7½'	16" x 8'
No C482.	64/-	69/-	74/-	81/-	87/-	98/-	110/-	120/-	143/- doz.
No. C483.	79/-	84/-	89/-	100/-	105/-	117/-	—	—	— „




No. C484. Two Prong.
John Cockerill "Ætna" Brand
(not "Neverbend" quality),
bright and blue, good Ash Handles.

10" x 4'	11" x 4½'	12" x 5'
60/-	64/-	68/- doz.

“NEVERBEND” HAY FORKS (continued).




No. C485. Two Prong



No. C486. Three Prong.


Hooped Hay Forks, Patent Lip, Bevelled Hoop (pinned through tang), all Bright, extra quality and finish, S. & J.'s “Mermaid” Brand, Waxed Ash Handles, extra quality.

		9" x 4'	10" x 4½'	11" x 5'	12" x 5½'	13" x 6'	13" x 6½'	13" x 7'
No. C485.	...	61/-	66/-	72/-	80/-	86/-	99/-	110/- dozen
No. C486.	...	—	86/-	93/-	101/-	111/-	120/-	134/- „




No. C532, Best Cap Hooped (American pattern), Square Tang. Bright and blue, extra quality and finish, S. & J.'s “Mermaid” Brand, Waxed Ash Handles.

		9" x 4'	10" x 4½'	11" x 5'	12" x 5½'	13" x 6'	13" x 6½'	13" x 7'
No. C532.	Two Prong ...	56/-	60/-	69/-	75/-	83/-	95/-	105/- doz.
No. C533.	Three Prong ...	—	86/-	90/-	96/-	107/-	119/-	129/- „



No. C487. Two Prong




No. C489.

Three Prong

Plain Bevelled Hoop (pinned through tang), all Bright, S. & J.'s “Leapfrog” Brand, Best Ash Handles.


		9" x 4'	10" x 4½'	11" x 5'	12" x 5½'	13" x 6'	13" x 6½'	13" x 7'
No. C487.	...	57/-	62/-	69/-	75/-	83/-	95/-	104/- dozen
No. C489.	...	—	87/-	91/-	97/-	107/-	117/-	127/- „

"NEVERBEND" HAY FORKS *(continued)*




No. C494. Two Prong

No. C496 Three Prong



Cap Hooped (pinned through tang) all bright, S. & J.'s "Leapfrog" Brand, Best Ash Handles.

		9" x 4'	10" x 4½'	11" x 5'	12" x 5½'	13" x 6'	13" x 6½'	13" x 7'	
No. C494	...	54/-	60/-	66/-	72/-	81/-	92/-	100/-	doz.
No. C496	...	—	78/-	86/-	93/-	102/-	111/-	119/-	„




No. C490. Two Prong

No. C490. Plain Hoop, bright and blue, "Aetna" Brand (John Cockerill), Good Ash Handles (not "Neverbend" quality).


	9" x 4'	10" x 4½'	11" x 5'	
	46/-	52/-	59/-	doz.

HAY FORK PRONGS.




		9"	10"	11"	12"	13"	14"	
No. C497.	Bright Oval, Flat Tang, Two Prong ...	18/-	19/-	21/-	22/-	25/-	29/-	doz.
No. C530.	„ Strapped, Black Straps, Two Prong	33/-	*34/-	36/-	38/-	40/-	42/-	„

HAY FORK FERRULES.



		3½"	4"	4½"	5"	
No. C508.	Plain, Tapered for Hay Forks ...	6/6	7/6	7/6	—	doz.
No. C511.	„ „ Manure Forks...	—	—	7/6	8/6	„


"NEVERBEND" STABLE FORKS.



No. C505.

Bright Iron Hooped (pinned through tang), S. & J.'s "Leapfrog" Brand, All Bright Round Prongs (blunt), Best Ash Handles.

Length of Prongs	...	9"	10"
„ Handles	...	4'	4'
		48/-	52/- doz.




No. C506.

Brass Hooped and Capped (pinned through tang) extra quality and finish, S. & J.'s "Mermaid" Brand, All Bright Round Prongs (blunt), selected extra quality Polished Ash Handles.

Length of Prongs	...	9"	10"
„ Handles	...	4'	4'
		58/6	63/- doz.

If with Brass Ring to hang up by, 2/- doz. extra.

PRUNING SHEARS.




No. DC614



Nos. DC612 & DC613.

			7	8	9 ins.
No. DC614.	Aubert's Pattern, Black,	...	73/-	83/-	87/- doz.
No. DC612.	Secateurs Steel Blade, Black Finish	...	51/-	58/-	72/- "
No. DC613.	„ „ Nickel Plated	...	84/-	92/-	106/- "


RAKES.



Nos. DC662, DC667. S. & J.'s Extra Quality "NEVERBEND" Garden Rakes.

		Length of Handles	4	4½	5	5½	5½ feet.
		No. of Teeth	8	10	12	14	16
No. DC662.	Rivettted, Cranked Neck, Black, Handled	...	61/-	63/-	65/-	72/6	76/- doz.
No. DC667.	" " Bright and Red, Handled	...	68/6	70/-	72/6	83/-	87/- "


For longer Handles than Listed, plus 6/- per foot.



No. DC658. Garden Rakes, Best Quality, Solid End, Bolstered Teeth.

		No. of Teeth	8	10	12	14	16
No. DC658.	Black Japanned, heads only	...	21/-	25/6	29/6	38/-	46/- doz.
	Length of Handles	...	4½	5	5	5½	5½ feet.
No. DC666.	Black Japanned, with Best Ash Handles	...	48/-	56/-	60/-	75/-	81/- doz.
No. DC668.	" with good 4 ft. "	...	35/-	39/-	43/-	—	— "


GARDEN SHEARS.




No. DC570.

Solid Steel Blades, Bent Shanks, Tangs Roughed ("gainshired") to prevent Handles becoming loose, Polished Handles.

		Blade, from centre of rivet	8	9	10 inch.
No. DC570.	Plain	...	3/6	4/-	4/9 pair.
No. DC571.	Notched	...	4/-	4/6	5/3 "




No. DC571.




No. DC573. Ladies' or Light Pattern Shears. New Pattern, S. & J.'s Special Design, light, strong, well finished. Not clumsy, like most similar shears. Thin Handles for ladies' small hands.

No. DC573. Solid Steel, Polished Handles, 5½, 6 or 6½ inch blades ... 3/6 pair.



BORDER SHEARS.


		8	9	10 inch.
No. DC588.	7/6	7/6	8/6	pair.
No. DC589.	8/6	8/6	9/6	"



No. DC588. Solid Steel Blades without wheel.

No. DC589. Solid Steel Blades, with wheel.


BRANCH OR LOPPING SHEARS.



No. DC598.
Branch or Lopping
Shears.

Solid Steel Blades.

Size No. ...	1	2	3
Blade from centre of Rivet	3	3½	3¾ in.
Length of Handle	20	24	28 in.
Price ...	6/-	7/-	8/- pr.




No. C590

LAWN SHEARS.


Polished 36" Handles.

	8	9	10	11	12 inch.
No. C590	7/6	7/6	8/6	9/6	11/- per pair.
No. C591.	9/6	9/6	10/6	11/6	13/- ..




No. C591

GRASS SHEARS.



No. DC574


Bent Shank, Single Bow.



No. DC575

Trowel Shank, Single Bow.


		6	6½	7 ins.	
No. DC574.	Half Bright Blades, Bright Shanks, Leather Ring	...	49/6	54/6	59/- doz.
No. DC575.	" " " " "	...	70/6	74/6	81/- "



No. DC576. Bent Shank, Double Riveted Bow, Half Bright Blades, Black Shank, 6 ins., **49/6** doz.

GARDEN TOOLS.


TROWELS



No. DC678



No. DC685



No. DC686

					5	6	7 inches	
No. DC678.	S. & J. quality, Riveted, Half Bright and Blue, 5" Handles	18/-	19/6	21/-	dozen			
No. DC685.	S. & J. quality, Solid, Full Bright, Through Tang, Capped	43/6	45/-	—	"			
No. DC686.	S. & J. quality, Socket, Bright and Red, 8" Handles	...	21/-	—	"			
No. DC687.	" " " " 15" "	...	26/-	—	"			
No. DC750.	" " " " 3" "	...	21/-	—	"			


WEED FORKS



No. DC716




No. DC703




No. DC705

No. DC716.	"John Cockerill" quality, Red and Self Colour	...	...	...	...	15/6	dozen
No. DC703.	Twisted Prongs, Tanged, Bright and Red, 5" Handles	...	...	...	...	23/-	"
No. DC704.	" " " " 15" "	...	...	...	...	28/-	"
No. DC705.	" " Socket " 8" "	...	...	...	...	27/-	"
No. DC706.	" " " " 15" "	...	...	...	...	32/-	"




No. DC720.	Extra quality, Solid Turned Socket, Finished Bright and Blue, with 42" Ash Handles	...	...	...	...	34/-	dozen
No. DC751.	" " " " with short 3" Handles	...	...	...	...	28/-	"

No. DC757.




No. DC758.



No. DC760.




No. DC761.



No. DC763.




No. DC778.




No. DC787.

DUTCH HOES.



No. DC781.




No. DC783.



SPEAR & JACKSON
CAST STEEL

No. DC791.



No DC789


No. DC791. Hoe Blades, quarter bright.

	5-6	7-8	9-10 inch.
2½ in. × 16G or 18G	7/6	8/-	8/6 doz.
3 in. × 16G or 18G	8/-	8/6	9/- „

No. DC789. Hoe Frames, self-colour.

Width point to point	4	5 inch.
	21/-	22/- doz.

HANDLED HOES.



No. DC827.




No. DC826.

TWO GOOD CHEAP LINES FOR AMATEURS.

"Leapfrog" Brand, with good quality 4 ft. Handles.

			4	5	6	7 inch.
No. DC827.	Rivetted, half bright and blue	...	30/6	30/6	30/6	32/- dozen.
No. DC826.	Stamped " " " "	...	39/-	39/6	41/-	43/- " "




No. DC820. S. & J.'s "Mermaid" Brand, rivetted, half bright and blue, best Ash Handles.

			4	5	6	7	8 inch.
	Blades	...	4	5	6	7	8 inch.
	Length of Handles	...	4½	5	5	5	5½ feet.
No. DC820.	Short Neck	...	36/6	39/-	39/-	40/6	44/- dozen.
No. DC821.	Long Neck	...	37/6	40/-	40/-	41/6	45/- " "




Nos. DC920 and DC921 (Handled T).


			4	5	6	7	8	9	10 inch.
	Blades	...	4	5	6	7	8	9	10 inch.
	Length of Handles	...	4½	4½	5	5	5½	5½	5½ feet.
No. DC920.	Solid Socket, self colour, straight handles	...	67/-	68/-	74/6	79/6	88/-	93/-	97/6 dozen.
No. DC921.	" " slanting T handles	...	72/-	72/-	79/6	84/6	93/-	98/-	102/6 " "



No. DC770. Stamped Push Hoe, bright and red, 7 in., with 4 ft. Ash handles ... 40/- dozen



No. DC785.



No. DC786.

			4	5	6	7	8	9 inch.
No. DC785.	Dutch, riveted, bright & red, 5 ft. Handles	...	50/-	51/6	53/-	54/6	57/6	60/6 doz.
No. DC786.	Tanged, half bright and red " "	...	47/-	47/6	47/9	48/6	49/-	49/3 " "

SPUDS.



No. DC721



No. DC722



No. DC725



No. DC726

Solid Socket.


No. DC721. Half Bright, 2" ... 22/6 dozen
 No. DC722. " 2" ... 24/- "

Open Socket.

No. DC725. Bright and blue, 2" ... 11/6 dozen
 No. DC726. " 2" ... 13/6 "


(For Handles, see page 78).

EDGING KNIVES, ETC.




No. DC739


- No. DC739 Solid Strapped, 8" blade, bright and red, 32" T handle, 73/6 doz.
 No. DC740 Solid Steel Tanged, 8" blade, self colour, 32" T handle, 38/6 "
 No. DC738 Stamped Socket, 8" blade, bright and red, unhandled, 37/6 "
 No. DC738T " " " " 32" T Handle, 61/6 "
 "D Handles, 12/- doz. extra over T Handles.



No. DC738



No. DC740



No. DC745



No. DC121



No. DC747.

- No. DC747. Dibblers, D handle (without Iron Shoe) 15/- doz.
 No. DC748. Dibblers, T handle (without Iron Shoe) 6/- "
 No. DC745. Flat Garden Reels 56/- "



No. DC707.

DAISY GRUBBERS.


- No. DC707. Blued all over, polished handles, 15in. 36/6 doz.
 No. DC708. Bright and Red, " " 60/- "
 No. DC121. Garden lines, 40 yard hanks ... 66/- "

TURF IRONS.

S. & J.'s "Mermaid" Brand, forged from the solid bar, blades hardened.

Length of handles from top of blade to top of grip, 3 ft. 8 in.
 Blade 10½ x 8½

- No. C216 Bright and blue, handled T ... 172/- doz.
 No. C217 " " " D ... 185/- "



HANDLES FOR SHOVELS, SPADES AND FORKS.



Nos. C874 and C879.



Nos. C875 and C876.



No. C877.

"T" or "Crutch."



No. C878.

No. C874.	Straight	...	...	...	...	...	32 inch,	16/-	doz.
No. C875.	Bent for Strapped Shovels	...	...	...	...	...	32 "	18/-	"
No. C876.	" " Spades	...	...	...	...	...	32 "	18/-	"
No. C877.	Tapered, Bent, for Shovels	...	...	...	...	...	29 "	21/-	"
No. C878.	Bent, chucked, for Hooped Forks	...	...	...	...	...	32 "	21/-	"
No. C879.	Straight, for Border Forks	...	...	...	...	...	32 "	15/6	"

If Iron Clasped, 7/6 doz. extra.



Nos. C880 and C884.

"D," "Box," or "Eye,"

Riveted through Grip.


No. C880.	Straight	...	...	...	...	30 and 32 inch,	36/-	36 inch,	43/6	doz.
No. C881.	Bent for Shovels	...	...	...	...	...	32 "	38/-	"	"
No. C882.	" Spades	...	...	...	...	...	32 "	38/-	"	"
No. C883.	Tapered, Bent, for Open Socket Shovels	...	...	...	...	...	29 "	34/-	"	"
No. C884.	Straight, for Border Forks	...	...	...	...	...	32 "	34/-	"	"

If Double Riveted, 4/- doz. extra.



Split Dee Handles, 30 or 32 inch, 43/6 "

Metal "D" Handles or "Patent Hilt."



No. C885.	Straight	...	...	...	...	...	32 inch,	33/-	doz.
No. C886.	Taper, Bent for Open Socket Shovels	...	...	...	...	...	29 "	34/6	"
No. C887.	Bent, Chucked and Bored for Hooped Forks	...	...	...	...	...	32 "	37/6	"
No. C888.	Hilts only, medium or larger	...	...	...	...	...	...	18/-	"



Nos. C512 and C889.



Nos. C513 and C665.

Long Handles.

		4	4½	5	5½	6	feet.
No. C512.	Hay Fork, Plain Ends	22/6	27/-	31/6	36/9	42/6	doz.
No. C513.	" Tapered Ends	24/6	29/-	33/6	38/9	44/6	"
No. C665.	Rake (or Hoe) "	24/-	24/6	28/6	32/6	—	"
No. C889.	Manure, Plain ends, 1½ inch	35/-	37/6	45/-	—	—	"

Good Quality Handles, for Hoes and Rakes, 50 inch long × 1½ inch, 12/- doz.


"NEVERBLUNT" SLASHERS AND BILL HOOKS.

The latest invention of S. & J.'s Research Department.

MADE FROM SAW STEEL.


Will keep their edge 2 to 5 times longer than other Slashers without sharpening.

METHOD OF TESTING.



The block shows the test applied to every "NEVERBLUNT" Slasher and Bill Hook which must cut through a piece of iron wire 6 gauge thick.


"NEVERBLUNT" BILL HOOKS.



No. DC856



No. DC858



No. DC859

		No. 1, 9"		No. 2, 10"		No. 3, 11"	
No. DC856	Lopping, tanged, 6½ in. round handles ...	...	73/-	...	74/-	...	76/- doz.
		No. 1, 8"		No. 2, 8½"		No. 3, 9"	
No. DC858	Tanged, 6½ in. handles ...	...	85/-	...	86/-	...	88/-
No. DC859	Strapped, 15 in. " ...	...	104/-	...	108/-	...	113/-
							89/- doz.
							117/- "

No DC839

No. DC839




No. DC840




No. DC841



No. DC843



No. DC844



No. DC854.

		Size Nos.	0	1	2	3	
		Length of blade ...	8	9	10	11	inch.
		„ of handle...	28	29	30	31	
No.	DC839.	Dunse Pattern, Bright Straps, self colour	92/-	96/-	100/-	104/-	doz.
„	DC840.	Straight edge pattern, bright straps, self colour...	92/-	96/-	100/-	104/-	„
„	DC841.	Spear point „ „ „ „	92/-	96/-	100/-	104/-	„
„	DC843.	Razor „ „ „ „	92/-	96/-	100/-	104/-	„
„	DC844.	Furze or briar „ „ „ „	—	99/-	102/-	106/-	„
„	DC854.	"Egerton" Pattern Slasher, 9 in. blade, bright and blue, 22 in. handle, with					
		Copper Bit ...	...	...	...	100/-	dozen.



No. DC847



No. DC848



No. DC849

No.	Description	Per doz.			
		No. 60-6½ in.	No. 70-7 in.	No. 80-7½ in.	No. 90-8 in.
DC847.	Light Pruning Bills or Slashers, Blue	92/-	95/-	98/-	103/- doz.
,,	DC848. Half-cutting Over Bills or Slashers, Blue	...	90/-	No. 80-7 in.	No. 90-8 in.
				No. 100-9 in.	95/- doz.
,,	DC849. Full-cutting Over Bills or Slashers, Black	...	...	No. 90-6½ in.	No. 100-7 in.
				107/-	110/- doz.

N.B.—All Slashers are of special temper and far superior in edge keeping properties to other brands.

BUY
BRITISH SAWS

SUPPORT HOME
INDUSTRIES AND
HELP TO REDUCE
UNEMPLOYMENT.
